


Study lays foundation to predict antidepressant response in people with suicide attempts

October 3 2022, by Susan Murphy



Conceptual overview of multi-omics integration analysis towards identification of candidate treatment markers for subgroups of patients with MDD based on history of suicide attempt. Credit: *Frontiers in Pharmacology* (2022). DOI: 10.3389/fphar.2022.984383

Mayo Clinic researchers have discovered that people with major

depressive disorder and a history of attempted suicide have distinct biomarkers that correlate with their response to antidepressant therapy. The new findings, published in *Frontiers in Pharmacology*, are key to individualized treatment strategies and early identification of patients who are at the highest risk for suicide.

For the study, the researchers used multi-omics technologies—specifically, [metabolomics](#) and genomics—to analyze samples from 350 patients with [major depressive disorder](#). They compared samples of patients with and without a history of [suicide](#) attempt(s) and found distinct blood-based multi-omics signatures between the two groups, despite all patients having the same diagnosis of major depressive disorder.

Nearly 700,000 people worldwide die by suicide every year, along with 10-20 times as many non-fatal suicide attempts, according to the World Health Organization. A prior suicide attempt is the highest risk factor for suicide in the general population.

"Evaluating suicidal patients can be challenging because clinical risk assessments are inherently subjective and major depressive disorder has high degrees of variability," says Paul Croarkin, D.O., M.S., a psychiatrist in Mayo Clinic's Department of Psychiatry and Psychology, and senior investigator of the study. "Our study lays a foundation for advancing the prognostic potential of this disease and enhancing patient outcomes that use both biological and digital biomarkers."

The team found that variations in the genes CLOCK and ARNTL differentiate in patients with and without a prior suicide attempt. Both genes are related to the circadian rhythm, which regulates critical functions in the body, including behavior, metabolism, hormone levels and sleep. These specific gene variations are also associated with lower antidepressant response and remission rates.

Metabolomics is the study of metabolites, which are substances created when the body breaks down food, drugs or its own tissue. Genomics is the study of genes, which can influence enzymes that are crucial for metabolizing medicines. While individually they explain aspects of biological processes, analyzing them jointly has potential of revealing interactions that were previously not studied.

Altogether, multi-omics is a combination of two or more "omics" approaches. Additional multi-omics examples include proteomics, the study of proteins; epigenomics, the study of epigenetic changes on DNA; and transcriptomics, the study of RNA molecules.

By simultaneously evaluating the genome and metabolome, the researchers discovered biological signatures that could not be found by the [genome](#) or metabolome alone.

The study is part of ongoing efforts at Mayo Clinic to understand the biology of suicidality to improve diagnostic approaches, treatments, and outcomes for patients with depression and other mood disorders.

More information: Caroline W. Grant et al, Network science approach elucidates integrative genomic-metabolomic signature of antidepressant response and lifetime history of attempted suicide in adults with major depressive disorder, *Frontiers in Pharmacology* (2022). [DOI: 10.3389/fphar.2022.984383](https://doi.org/10.3389/fphar.2022.984383)

Provided by Mayo Clinic

Citation: Study lays foundation to predict antidepressant response in people with suicide attempts (2022, October 3) retrieved 20 June 2024 from <https://medicalxpress.com/news/2022-10-foundation-antidepressant-response-people->

[suicide.html](#)

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.