


Study identifies neural circuit that controls alcohol abuse in mice

October 10 2022, by Rod Chester



Chemogenetic manipulation of 5-HT^{MRN>DG} circuit modulates ethanol intake following long-term exposure. A–C mCherry-control, hM3Dq-excitatory, and hM4Di-inhibitory DREADDs were injected in pet1-5-HT MRN neurons and bilateral cannulae were implanted in the hippocampus, above the dentate gyrus (A). Expression of DREADD constructs in TPH2-immunoreactive MRN neurons was verified by immunohistochemistry (B, field corresponding to the red dashed square in A) and the correct cannulae placement verified by histology (C). Chemogenetic manipulation of 5-HT^{MRN>DG} neuron terminals by local



infusion of CNO (100 μ M) bidirectionally modulated the binge-consumption of ethanol (first 30 min of a 2 h drinking period) (D–E, repeated measure two-way ANOVA, n = 6, treatment x construct: F(4, 30) = 6.545, p = 0.0007). Bonferroni multiple comparison showed that the stimulation of these terminals increased the 30 min intake of ethanol (D–E, **p = 0.074), while their inhibition reduced the binge-intake of ethanol (D–E, *p = 0.013). Chemogenetic manipulation of 5-HT^{MRN>DG} neuron terminals also modulated the 2 h consumption of ethanol (F–G, repeated measure two-way ANOVA, n = 6, treatment: F(1.883, 28.25) = 3.902, p = 0.0341), with Bonferroni multiple comparison showing that only the inhibition of these terminals reduced the overall 2 h intake of ethanol (F–G *p = 0.0239; **p = 0.0076), but no effect of chemogenetic activation (p > 0.99). Effect of intra-DG injection of CNO on locomotor activity (H) showing no effect over the 2-hour drinking period (I, One-way ANOVA on AUC [15–135 min], n = 4, F (2, 9) = 0.4343, p = 0.6606). Credit: *Molecular Psychiatry* (2022). DOI: 10.1038/s41380-022-01789-z

Queensland University of Technology researchers have identified, for the first time, a precise neural circuit in the brain that controls long-term alcohol consumption, in a study in mice.

Professor Selena Bartlett and Dr. Arnauld Belmer were part of the research team who used cutting-edge molecular tools, pharmacology and a neuroscientific approach to target the part of the <u>brain</u> that has shown to be linked to binge drinking patterns. The research is published in the journal *Molecular Psychiatry*.

"Alcohol dependence is a significant problem in Australia with one in four people aged 18 years and over exceeded the guideline in 2020–21," Professor Bartlett said.

"The mechanism in the brain driving long-term <u>alcohol dependence</u> is unknown and there are few effective treatment options available."



Dr. Belmer said the research indicated that using drugs that specifically target the specific part of the brain could potentially represent an innovative strategy to combat <u>alcohol abuse</u>.

"In this study, using novel drugs, we identified the particular 5-HT1A receptor that mediates alcohol drinking behavior," he said.

"We demonstrated that inhibiting the transmission of serotonin to that receptor reduces alcohol consumption.

"This follows on from our earlier research in mice which showed that two weeks of daily treatment with a drug normally used for treating general anxiety reversed the effects of 15 weeks of binge-like <u>alcohol consumption</u>," Dr. Belmer said.

Professor Bartlett said the research team would continue to look at new treatment strategies for alcohol abuse and addiction that focus on understanding how to boost neuroplasticity to reboot brain health and fitness

"Alcohol, we know, is very damaging to neurons—<u>brain cells</u>," Professor Bartlett said.

More information: Arnauld Belmer et al, Neural serotonergic circuits for controlling long-term voluntary alcohol consumption in mice, *Molecular Psychiatry* (2022). DOI: 10.1038/s41380-022-01789-z

Provided by Queensland University of Technology

Citation: Study identifies neural circuit that controls alcohol abuse in mice (2022, October 10) retrieved 26 April 2024 from



https://medicalxpress.com/news/2022-10-neural-circuit-alcohol-abuse-mice.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.