

Uganda Ebola outbreak death toll 29, says WHO

October 5 2022



Ugandan medical staff treating Ebola patients at Mubende Regional Referral Hospital last month.

Sixty-three confirmed and probable cases have been reported in the Ebola outbreak in Uganda, including 29 deaths, the World Health

Organization said Wednesday.

WHO chief Tedros Adhanom Ghebreyesus lamented that the outbreak, declared two weeks ago, was taking a deadly toll on health workers as well as patients.

There are six species of the Ebolavirus genus and the one circulating in Uganda is the Sudan ebolavirus—for which there is currently no vaccine.

"So far, 63 confirmed and probable cases have been reported, including 29 deaths," Tedros told a press conference in Geneva.

"Ten health workers have been infected and four have died. Four people have recovered and are receiving follow-up care."

The east African nation's Health Minister Jane Ruth Aceng Ocerro said that a 58-year-old anaesthetist had died of Ebola early Wednesday, following the deaths of a Tanzanian doctor, a health assistant and a midwife.

Candidate vaccines

Tedros said the vaccines used successfully to curb recent outbreaks of the Zaire ebolavirus species in the neighbouring Democratic Republic of Congo (DRC) did not provide cross-protection against the Sudan ebolavirus.

"However, several vaccines are in various stages of development against this virus, two of which could begin clinical trials in Uganda in the coming weeks, pending regulatory and ethics approvals from the Ugandan government," he said.



A patient believed to have Ebola rests at a health centre waiting late last month to be transferred to an isolation unit in Mubende, Uganda.

There are at least six candidate vaccines against the Sudan species, of which three have made it far enough to be tested on humans, producing so-called Phase 1 safety and immunogenicity data.

They could "proceed to be used in the field in a sort of ring vaccination campaign", WHO's chief scientist Soumya Swaminathan said.

She mentioned a candidate vaccine from the University of Oxford and another from the Sabin Vaccine Institute, and said which one goes into trials may depend on which one actually has doses ready to deploy.

"Realistically it may take another four to six weeks," she said.

Swaminathan said plans were also afoot for testing potential therapeutics.

WHO sending specialists, resources



The initial outbreak was discovered in the central district of Mubende.

There are gold mines in the Mubende area which attract people from across Uganda, as well as other countries, the WHO's Africa regional office said.

How the Ebola virus attacks

Viruses are parasitic, they hijack living cells to reproduce their own genome

Progression of illness





Ebola Hemorrhagic Fever


- Causes fever, vomiting and intense diarrhoea
- Ebola is a **Filovirus**, identified in 1976
- The group includes the *Marburg*, another deadly virus



Fruit bats of the pteropodidae family are thought to be the **natural Ebola virus hosts**



Death can be caused by **organ failure or hypovolemic shock**, the loss of more than 20 percent of blood or fluid supply



Survivors are normally considered cured if virus is no longer detectable in the bloodstream, typically within weeks of infection

Sources: WHO/emedicine.medscape.com/CDC/Medicinenet.com/Medterms.com/Healthline/Boston University



Factfile on how the Ebola virus attacks.

"The mobile nature of the population in Mubende increases the risk of a possible spread of the virus," it said.

Infections have since been found in Kassanda, Kyegegwa and Kagadi districts.

The WHO's Geneva headquarters has released \$2 million from its

contingency fund for emergencies and is working with partners to support the health ministry by sending additional specialists, supplies and resources, Tedros said.

Ugandan President Yoweri Museveni has vowed not to impose any lockdowns to tackle the disease, saying last week that there was "no need for anxiety".

Haemorrhagic fever

Ebola is an often-fatal viral haemorrhagic fever named after a river in DR Congo where it was discovered in 1976.

Human transmission is through bodily fluids, with the main symptoms being fever, vomiting, bleeding and diarrhoea.



A Ugandan medical staffer in the Ebola war at Mubende Regional Referral Hospital.

Outbreaks are difficult to contain, especially in urban environments.

People who are infected do not become contagious until symptoms appear, which is after an incubation period of between two and 21 days.

Uganda has experienced several Ebola outbreaks, most recently in 2019 when at least five people died.

The neighbouring DRC last week declared an end to an Ebola virus outbreak that emerged in eastern North Kivu province six weeks ago.

The worst epidemic, in West Africa between 2013 and 2016, killed more than 11,300 people. The DRC has had more than a dozen epidemics, the deadliest killing 2,280 people in 2020.

© 2022 AFP

Citation: Uganda Ebola outbreak death toll 29, says WHO (2022, October 5) retrieved 3 May 2024 from <https://medicalxpress.com/news/2022-10-uganda-ebola-outbreak-death-toll.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.