

## Study compares adverse events after two types of bariatric surgery in adolescents

November 15 2022

---



Credit: Unsplash/CC0 Public Domain

Adolescents who underwent sleeve gastrectomy, a type of weight-loss surgery that involves removing part of the stomach, were less likely to go the emergency room or be admitted to the hospital in the five years after

their operations than those who had their stomachs divided into pouches through gastric bypass surgery, according to new research.

Rates of complications, death and subsequent surgery were similar in both groups, University of Michigan researchers found in an analysis published in *JAMA*.

All the patients studied had Medicaid, the largest health insurance provider for those under the age of 19 in the United States.

"Prior research had found that sleeve gastrectomy and gastric bypass resulted in significant weight loss and low complication rates in adolescents with severe obesity," said Ryan Howard, M.D., a general surgery resident at University of Michigan Health.

"But the comparative outcomes of these two procedures, which might help inform health insurance policy and decision-making, had yet to be explored for adolescents insured by Medicaid."

The researchers identified just over 1,110 patients who had undergone one of the two weight-loss surgeries between 2012 and 2018, a relatively small number compared to the more than 95,000 patients covered by Medicare who had either [gastric bypass](#) or a [sleeve gastrectomy](#) in the same time period.

Howard says the disparity could be due to access issues or concerns about bariatric surgery as a weight-loss treatment for youth.

**More information:** Ryan Howard et al, Health Care Use and Adverse Events After Sleeve Gastrectomy and Gastric Bypass Among Adolescents With Severe Obesity Insured by Medicaid, *JAMA* (2022). [DOI: 10.1001/jama.2022.14843](https://doi.org/10.1001/jama.2022.14843)

Provided by University of Michigan

Citation: Study compares adverse events after two types of bariatric surgery in adolescents (2022, November 15) retrieved 14 May 2024 from <https://medicalxpress.com/news/2022-11-adverse-events-bariatric-surgery-adolescents.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.