

Brain cells use a 'telephone trick' to report what they see

November 29 2022



A sample set of images macaques saw during the study. While some images were just pictures of black and white diagonal lines, other sets included more naturalistic images, like a cartoon flashlight or an antelope. Both led to similar multiplexing behavior in brain cells. Credit: Marlene Cohen/University of Chicago

"How many fingers am I holding up?"

For vision-sensing <u>brain cells</u> in a monkey's visual cortex, that answer depends on whether the digits are next to each other or partially overlapping.

A new study from Duke University finds that single neurons conveying <u>visual information</u> about two separate objects in sight do so by alternating signals about one or the other. When two objects overlap,



however, the <u>brain</u> cells detect them as a single entity.

The findings help expand what is known about how the brain makes sense of its complicated and busy world. Most research on <u>sensory</u> <u>processing</u>, be it sounds or sights, sets the bar too low by testing how brain cells react to a single tone or image.

"There are lots of reasons to keep things simple in the lab," said Jennifer Groh, Ph.D., a faculty member of the Duke Institute for Brain Sciences and senior author of the new report. "But it means that we're not very far along in understanding how the brain encodes more than one thing at a time."

Making sense of complicated <u>sensory information</u> is somewhat of a specialty for Groh. In 2018, her lab was the first to show that single auditory brain cells efficiently transmit information about two <u>different</u> <u>sounds</u> by using something called multiplexing.

"Multiplexing is an idea that comes from engineering," Groh said. "When you have one wire and a lot of signals, you can swap the signals out, kind of like a telephone party line."

The telecommunications technology works by rapidly switching backand-forth between relaying information from one <u>phone call</u> and the other using just one wire. In the brain, the switching is probably happening much more slowly, Groh said, but the general idea is similar.

Na Young Jun, a graduate student in neurobiology at Duke and the lead author of the paper, first learned about how auditory neurons do this telephone wiring trick during a lecture Groh gave as part of a neuroscience boot camp course.

"I thought the concept of multiplexing was fascinating," Jun said. "I



wanted to talk more with Dr. Groh about it out, so I went to her office and ending up working in her lab."

During her time in the Groh lab, Jun was given a valuable dataset from Groh's collaborator Marlene Cohen, Ph.D., a professor of neurobiology at the University of Chicago and co-author on the paper. Cohen's group had collected brain activity data from macaques while they watched pictures on a screen in an effort to study attention.

"Collecting data from monkeys is super hard," Jun said. "It can take seven years of a grad student's life to collect just a few gigabytes of data."

The shared dataset proved to be just as efficient as the brain cells Jun then analyzed.

With help from Groh's collaborator Surya Tokdar, Ph.D., a professor of statistical sciences at Duke and co-author on the paper, Jun found that a subset of cells in the visual cortex, considered a "higher order" brain region in the visual processing pathway, switch between reporting on two different images across trials.

"Say you have a <u>visual cortex</u> neuron," Jun said. "When it just sees a backpack, it fires 20 times a second. When it just sees a coffee cup, it fires five times a second. But when that same neuron sees the backpack and the coffee cup next to each other, it alternates firing 20 times a second and five times a second."

However, if two objects overlap, like placing a coffee cup in front of a backpack, the brain cells fire the same way each time the eclipsing objects are presented. This suggests that the neurons treated overlapping images as a single object rather than separate ones.



While the <u>real world</u> is much busier than just two side-by-side objects, this work starts to move sensory research to better reflect everyday perception for the brain.

"Considering how the brain preserves information about two <u>visual</u> <u>stimuli</u> presented is still a far cry from understanding how the myriad details present in a natural scene are encoded," Jun and her co-authors write in their report. "More studies are still needed to shed light on how our brains operate outside the rarefied environment of the laboratory."

The research is published in the journal *eLife*.

More information: Supratim Ray, Editor's evaluation: Coordinated multiplexing of information about separate objects in visual cortex, *eLife* (2022). DOI: 10.7554/eLife.76452

Provided by Duke University

Citation: Brain cells use a 'telephone trick' to report what they see (2022, November 29) retrieved 10 May 2024 from <u>https://medicalxpress.com/news/2022-11-brain-cells.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.