


# Contact tracing and exposure investigation framework helps to mitigate spread of monkeypox in the US

November 7 2022

---



Credit: Pixabay/CC0 Public Domain

A large contact tracing investigation of a patient with monkeypox virus

(MPXV) infection found no secondary cases in community or health care settings. The creation of a framework for assessing specific risk scenarios permitted ease of application by employee occupational health staff and application across the various settings and the findings have important applications for informing future infection prevention efforts, including the administering of postexposure prophylaxis, or PEP. The paper is published in *Annals of Internal Medicine*.

In May 2022, the first case of MPXV infection in the United States in the current global outbreak was identified. Until the case patient was identified as a person under investigation for monkeypox, he received care in many locations without specific precautions. As part of the public health and health care facility response, a contact tracing and exposure investigation was done.

Researchers from Massachusetts General Hospital, Beth Israel Lahey Health and the Massachusetts Department of Public Health describe a framework of [contact tracing](#), exposure identification, risk stratification, administration of PEP, and exposure period monitoring for contacts of the index patient, including evaluation of persons who developed symptoms possibly consistent with MPXV infection.

Those with high-risk exposures were offered PEP, and 3 elected to have it. Among those with intermediate-risk exposures for which PEP was offered as part of informed clinical decision making, 2 elected to receive PEP. No transmissions were identified at the conclusion of the 21-day monitoring period, despite the delay in recognition of monkeypox in the index patient. Public health authorities and [health care facilities](#) should consider how these findings may inform revised estimates of exposure risk, requirements for monitoring, and recommendations for PEP.

**More information:** Contact Tracing and Exposure Investigation in Response to the First Case of Monkeypox Virus Infection in the United

States During the 2022 Global Monkeypox Outbreak, *Annals of Internal Medicine* (2022). [DOI: 10.7326/M22-2721](https://doi.org/10.7326/M22-2721)

Provided by American College of Physicians

Citation: Contact tracing and exposure investigation framework helps to mitigate spread of monkeypox in the US (2022, November 7) retrieved 19 April 2024 from <https://medicalxpress.com/news/2022-11-contact-exposure-framework-mitigate-monkeypox.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.