


COVID vaccination improves effectiveness of cancer treatment, study finds

November 8 2022



Nasopharyngeal tumors (highlighted in yellow) - are a common condition in countries in Southeast Asia. However, concerns that the therapy might interact unfavorably with Covid vaccination appear to be unfounded. Credit: Y.J. Hua / Sun Yat-sen University Cancer Center

Patients with nasopharyngeal cancer are often treated with drugs that activate their immune system against the tumor. Until now, it was feared that vaccination against COVID-19 could reduce the success of cancer treatment or cause severe side effects.

A recent study by the Universities of Bonn and Shanxi in the People's Republic of China now gives the all-clear in this regard. According to the study, the [cancer drugs](#) actually worked better after vaccination with the Chinese vaccine SinoVac than in unvaccinated [patients](#). The results are published as a letter to the editor in the journal *Annals of Oncology*, but are already available online.

Many [cancer cells](#) are capable of subverting the body's immune response. They do this by pushing a kind of button on the [immune cells](#), the PD-1 receptor. In this way, they effectively shut down these endogenous defense forces. Drugs can be used to block PD-1 receptors. This enables the [immune system](#) to fight the tumor more effectively.

Vaccination against COVID also stimulates the immune response, involving the PD-1 receptor. "It was feared that the vaccine would not be compatible with anti-PD-1 therapy," explains Dr. Jian Li of the Institute of Molecular Medicine and Experimental Immunology (IMMEI) at the University Hospital Bonn. "This risk is especially true for [nasopharyngeal cancer](#), which, like the SARS Cov-2 virus, affects the upper respiratory tract."

Together with cooperation partners from the People's Republic of China, the bioinformatician has now investigated whether this concern is justified. More than 1,500 patients treated in 23 hospitals from all over China participated in the analysis. Such multi-center studies are considered to be particularly informative because the participants are very diverse and, moreover, the results are not distorted by regional characteristics.

Vaccinated patients responded better to cancer therapy

A subset of 373 affected individuals had been vaccinated with the Chinese COVID vaccine SinoVac. "Surprisingly, they responded significantly better to anti-PD-1 therapy than the unvaccinated patients," explains Prof. Dr. Christian Kurts, Director of IMMEI and member of the Transdisciplinary Research Area "Life & Health" and the Cluster of Excellence ImmunoSensation.

"Furthermore, they did not experience severe side effects more often." The researchers cannot say why the treatment was more successful after vaccination. "We assume that vaccination activates certain immune cells, which then attack the tumor," says Prof. Dr. Qi Mei of Shanxi University Hospital. "We will now investigate this hypothesis further."

Nasopharyngeal cancer is quite rare in this country. In southern China and other countries in Southeast Asia, however, the disease is widespread. One of the suspected reasons for this is the frequent use of air conditioning in the hot and humid regions. Nutritional factors also appear to play an important role. In Taiwan, nasopharyngeal cancer is now considered one of the leading causes of death among young men.

More information: Y.J. Hua et al, Potentially improved response of COVID-19 vaccinated nasopharyngeal cancer patients to combination therapy with anti-PD-1 blockade and chemotherapy, *Annals of Oncology* (2022). [DOI: 10.1016/j.annonc.2022.10.002](https://doi.org/10.1016/j.annonc.2022.10.002)

Provided by University of Bonn

Citation: COVID vaccination improves effectiveness of cancer treatment, study finds (2022, November 8) retrieved 19 April 2024 from <https://medicalxpress.com/news/2022-11-covid-vaccination-effectiveness-cancer-treatment.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.