

Higher antibody concentration found in people with vaccine reactions





Antibody levels after COVID-19 vaccination and presence of acute vaccination side effects

The first and/or second vaccination led to significantly higher individual antibody levels (p<0.0001) in subjects with acute vaccination side effects than in asymptomatic subjects (n=201).



Antibody levels after COVID-19 vaccination and presence of acute vaccination side effects. Credit: *Deutsches Ärzteblatt international* (2022). DOI: 10.3238/arztebl.m2022.0195

After the second and third vaccinations against COVID-19, a significantly higher antibody concentration has been confirmed, while tolerability was good. Lukas Perkhofer and co-authors reported this result in *Deutsches Ärzteblatt International*.

Several studies showed "fear of adverse effects" as the crucial determinant of refusing to be vaccinated against COVID-19; some also testified to a conviction that the <u>vaccine</u> is ineffective.

The researchers investigated the extent to which the occurrence of adverse effects is associated with the measured antibody concentrations; to this end they examined a large population of health care workers.

Significantly higher antibody levels were seen 14 weeks after vaccination with two doses of Comirnaty and especially after a heterologous vaccine sequence Vaxzevria-Comirnaty compared with two doses of the Vaxzevria vaccine. Antibody concentrations were significantly higher in people younger than 30 than in older subjects.

In most subjects, vaccine reactions developed that were mostly rated as mild to moderate. Local adverse effects were most commonly reported, followed by systemic reactions, such as fatigue/exhaustion/malaise, headache, and musculoskeletal pain.

The authors concluded that vaccinations against COVID-19 leads to



significantly higher antibody concentrations in persons with vaccine reactions. The vaccines used were altogether well tolerated.

More information: Lukas Perkhofer et al, Acute reactions after vaccination against COVID-19 and long-term antibody levels, *Deutsches Ärzteblatt international* (2022). DOI: 10.3238/arztebl.m2022.0195

Provided by Deutsches Aerzteblatt International

Citation: Higher antibody concentration found in people with vaccine reactions (2022, November 4) retrieved 8 May 2024 from https://medicalxpress.com/news/2022-11-higher-antibody-people-vaccine-reactions.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.