


Monkeypox vaccine modeling study provides road map for vaccination

November 28 2022



Model structure. (A) Health states and transitions. (B) Cities, risk groups and contact networks. Note: E = exposed, H = isolating, I = infectious, R = recovered, risk = risk of monkeypox virus infection or transmission, defined by numbers of sexual partners (definitions in Appendix 1, available at www.cmaj.ca/lookup/doi/10.1503/cmaj.221232/tab-related-content), S = susceptible, V = vaccinated. Arrow opacity is qualitatively related to the chance of sexual contact formation from any group to another (higher opacity reflects a greater chance of contact). Rate definitions can be found in Appendix 1, Section A (model details). Credit: *Canadian Medical Association Journal* (2022). DOI: 10.1503/cmaj.221232

A modeling study to explore optimal allocation of vaccines against

monkeypox virus (MPXV) provides a road map for public health to maximize the impact of a limited supply of vaccines. The article, published in *CMAJ (Canadian Medical Association Journal)*, confirms that prioritizing vaccines to larger networks with more initial infections and greater potential for spread is best.

"We hope that these insights can be applied by [policy-makers](#) across diverse and dynamic epidemic contexts across Canada and beyond to maximize infections averted early in an epidemic with limited vaccine supply," says Dr. Sharmistha Mishra, MAP Center for Urban Health Solutions, Unity Health Toronto.

As of November 4, 2022, there were 1,444 cases of MPXV in Canada, disproportionately among gay, bisexual and other men who have sex with men (GBMSM). A very limited supply of smallpox vaccines is available and is being prioritized to populations experiencing disproportionate risks.

Researchers modeled two hypothetical cities as interconnected networks with a combined GBMSM community size of 100,000. The team then varied the characteristics of the two cities across a range of plausible settings and simulated roll-out of 5,000 vaccine doses shortly after the first detected case of MPXV.

They found that the strongest factors for optimal vaccine allocation between the cities were the relative reproduction number (epidemic potential) in each [city](#), share of initial cases, and city (or network) size. If a larger city had greater epidemic potential and most of the initial cases, it was best to allocate the majority of vaccines to that city. The team varied the reproduction number with a single parameter, but they highlight how many factors could influence local epidemic potential, including the density and characteristics of the sexual network, access to prevention and care, and the underlying social and structural contexts

that shape both sexual networks and access.

"Under our modeling assumptions, we found that vaccines could generally avert more infections when prioritized to a larger network, a network with more initial infections and a network with greater epidemic potential," writes Jesse Knight, lead author and Ph.D. candidate at the University of Toronto and MAP Center for Urban Health Solutions, Unity Health Toronto. "Our findings further highlight the importance of global vaccine equity in responding to outbreaks, and also in preventing them in the first place," he says.

The study emphasizes the interconnectedness of regions and that a population-level perspective is necessary.

"Strategic prioritization of a limited [vaccine](#) supply by network-level risk factors can maximize infections averted over short time horizons in the context of an emerging [epidemic](#), such as the current global MPXV outbreak," conclude the authors.

More information: Jesse Knight, Darrell H.S. Tan and Sharmistha Mishra, Maximizing the impact of limited vaccine supply under different early epidemic conditions: a 2-city modelling analysis of monkeypox virus transmission among men who have sex with men, *Canadian Medical Association Journal* (2022). [DOI: 10.1503/cmaj.221232](#). www.cmaj.ca/content/194/46/E1560

Provided by Canadian Medical Association Journal

Citation: Monkeypox vaccine modeling study provides road map for vaccination (2022, November 28) retrieved 25 March 2023 from <https://medicalxpress.com/news/2022-11-monkeypox-vaccine-road-vaccination.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.