

## Study finds strong causal link between diastolic blood pressure and neurotic personality trait

November 21 2022



Credit: Pixabay/CC0 Public Domain

Diastolic blood pressure—the lower of the two numbers in a blood pressure reading—is highly likely to cause neurotic personality trait,



finds research published in General Psychiatry.

And keeping it under control can help curb neurotic behaviors, anxiety, and heart and circulatory diseases, conclude the researchers.

High blood pressure is a major risk for cardiovascular disease and thought to be associated with <u>psychological factors</u>, such as anxiety, depression, and neuroticism—a <u>personality trait</u> characterized by susceptibility to negative emotions, including anxiety and depression.

But which causes which isn't entirely clear.

In a bid to find out, the researchers used a technique called Mendelian randomization. This uses genetic variants as proxies for a particular risk factor—in this case, blood pressure—to obtain genetic evidence in support of a causal relationship, reducing the biases inherent in observational studies.

Between 30% and 60% of blood pressure is down to genetic factors, and over 1,000 genetic single nucleotide polymorphisms, or SNPs for short, are associated with it. SNPs help predict a person's response to certain drugs, susceptibility to environmental factors, and their risk of developing diseases.

The researchers drew on 8 large-scale study datasets containing whole genome DNA extracted from <u>blood samples</u> from people of predominantly European ancestry (genome-wide association studies).

They applied Mendelian randomization to the 4 traits of blood pressure—<u>systolic blood pressure</u> (736,650 samples), diastolic blood pressure (736,650), pulse pressure (systolic minus diastolic blood pressure; 736,650), and <u>high blood pressure</u> (above 140/90 mm Hg; 463,010) with 4 psychological states—anxiety (463,010 samples),



depressive symptoms (180,866), neuroticism (170,911) and subjective well-being (298,420).

The analysis revealed that high blood pressure and diastolic blood pressure had significant causal effects on neuroticism, but not on anxiety, depressive symptoms, or subjective well-being.

But after adjusting for multiple tests, only <u>diastolic blood pressure</u> was significantly associated with neuroticism (over 90%), based on 1,074 SNPs.

The researchers acknowledge certain limitations to their findings. For example, it wasn't possible to completely exclude pleiotropy—where one gene can affect several traits. And the findings may not be more widely applicable beyond people of European ancestry.

But blood pressure links the brain and the heart, and so may promote the development of personality traits, they explain.

"Individuals with neuroticism can be sensitive to the criticism of others, are often self-critical, and easily develop anxiety, anger, worry, hostility, self-consciousness, and depression."

"Neuroticism is viewed as a key causative factor for anxiety and mood disorders. Individuals with neuroticism more frequently experience high mental stress, which can lead to elevated [blood pressure] and cardiovascular diseases," they write.

"Appropriate surveillance and control of blood pressure can be beneficial for the reduction of neuroticism, neuroticism-inducing mood disorders, and cardiovascular diseases."

More information: Cai L et al, Investigating genetic causal



relationships between blood pressure and anxiety, depressive symptoms, neuroticism and subjective well-being, *General Psychiatry* (2022). <u>DOI:</u> 10.1136/gpsych-2022-100877

## Provided by British Medical Journal

Citation: Study finds strong causal link between diastolic blood pressure and neurotic personality trait (2022, November 21) retrieved 25 April 2024 from <a href="https://medicalxpress.com/news/2022-11-strong-causal-link-diastolic-blood.html">https://medicalxpress.com/news/2022-11-strong-causal-link-diastolic-blood.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.