

## **Researchers identify a new entryway into cells for virus causing COVID-19**

December 6 2022





Graphical abstract. Credit: iScience (2022). DOI: 10.1016/j.isci.2022.105316

One of the many pressing research undertakings by the scientific community amid the ongoing COVID-19 pandemic has focused on ways the coronavirus manages to enter host cells.

Now, in a study adding to the pool of knowledge about viral entry, Dr. Marceline Côté's Faculty of Medicine lab and <u>collaborators</u> have published a highly compelling study showing a previously unrecognized entryway for SARS-CoV-2, the virus that causes COVID-19 and the driver of the global health crisis that's transformed the world.

Previous studies have shown that SARS-CoV-2 as well as an earlier coronavirus, SARS-CoV-1, the virus behind the SARS outbreak in 2003, enter cells via two distinct pathways. The new research led by Dr. Côté's lab shows a third entry route.

This viral entryway involves metalloproteinases, enzymes in the body with a catalytic mechanism that requires a metal, such as zinc atoms, to function.

Over a series of experiments starting in 2020, Dr. Côté's research team discovered that SARS-COV-2 can enter cells in a metalloproteinase-dependent manner. The team describes a role for two <u>matrix</u> <u>metalloproteinases</u>—MMP-2 and MMP-9—in the activation of the spike glycoprotein.

What are the ramifications of this kind of viral entry? The study published in a recent issue of *iScience*, an open access journal from Cell Press, suggests that variants that gravitate toward metalloproteinases may cause more havoc.



The team's experiments showed that some variants clearly prefer the metalloproteinases for activation. For instance, the Delta variant, a more pathogenic variant that surged in 2021, commonly used metalloproteinases for entry. Its less pathogenic successor, Omicron, did not.

"SARS-CoV-2 may be able to use proteins, which are typically secreted by some activated immune cells, to cause more damage and potentially infect a wider range of <u>cells</u> and tissues," says Dr. Côté, a Faculty associate professor who is the holder of the Canada Research Chair in Molecular Virology and Antiviral Therapeutics.

The entry mechanism could also play a role in disease progression.

Dr. Côté says the findings could have implications in the progression to severe illness and some post COVID-19 conditions, such as the complex array of post-infection symptoms known as "long COVID."

**More information:** Mehdi Benlarbi et al, Identification and differential usage of a host metalloproteinase entry pathway by SARS-CoV-2 Delta and Omicron, *iScience* (2022). <u>DOI:</u> <u>10.1016/j.isci.2022.105316</u>

Provided by University of Ottawa

Citation: Researchers identify a new entryway into cells for virus causing COVID-19 (2022, December 6) retrieved 26 April 2024 from <u>https://medicalxpress.com/news/2022-12-entryway-cells-virus-covid-.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.