

Four genes identified as heightening risk of suicidal thoughts, actions

December 14 2022



Credit: CC0 Public Domain

A large study of military members led by researchers at Duke Health and the Durham VA identified four genes that are linked to an increased risk of suicidal thoughts and behaviors.

While more work is needed to determine whether identification of the genetic markers might lead to targeted treatments, the findings advance

the understanding of how inherited [risk factors](#) play a role in the pathology of suicidal thoughts and actions.

"It's important to note that these [genes](#) do not predestine anyone to problems, but it's also important to understand that there could be heightened risks, particularly when combined with life events," said Nathan Kimbrel, Ph.D., associate professor in the Department of Psychiatry & Behavioral Sciences at Duke and co-lead author of the study publishing online Dec. 14 in the journal *JAMA Psychiatry*.

Kimbrel and colleagues, including co-lead author Allison Ashley-Koch, professor in the Department of Medicine at Duke, conducted a large, diverse, genome-wide analysis using data from 633,778 U.S. military veterans. Of the participants, 71.4% were of European ancestry; 19.1% African ancestry; 8.1% Hispanic; 1.3% Asian. Study participants were primarily male, with 9% female.

Within that group of veterans, 121,211 cases of suicidal thoughts or actions were identified from medical records. Participants were classified as controls if they had no documented lifetime history of self-harm behaviors.

Through a genome-wide analysis of blood samples, the researchers identified numerous genes that were evident among participants with documented cases of suicidal thoughts or actions, regardless of their ancestral background. Four genes had the strongest links, and have been previously associated with psychiatric conditions:

- ESR1, an [estrogen receptor](#), has been previously identified as a causal genetic driver gene of PTSD and depression, which are risk factors for suicidal behaviors among veterans. Estrogen is also suspected as a cause of sex differences in depression rates, and loss of ESR1 has been found to produce effects on [brain](#)

[tissue](#) in men.

- DRD2, a dopamine receptor, has been associated with [suicide attempts](#), schizophrenia, [mood disorders](#), ADHD, risky behaviors, and alcohol use disorder.
- DCC, which is expressed in brain tissue across the lifespan, has been associated with multiple [psychiatric conditions](#) and is elevated in the brains of people who die by suicide.
- TRAF3 is associated with antisocial behavior, substance use, and ADHD. Lithium—a gold standard treatment for [bipolar disorder](#) shown to reduce suicide risk—modulates the expression of TRAF3 and several other inflammatory genes.

In addition to those genes, the researchers also identified nine additional ancestry-specific risk genes.

"While genes account for small amount of risk relative to other factors, we need to better understand the biological pathways that underly a person's risk for engaging in suicidal behavior," Kimbrel said. "Suicide is the cause of over 700,000 deaths annually and is the fourth-leading cause of death among people ages 15 to 29 years old. The more we know, the better we can prevent these tragic deaths."

In addition to Kimbrel and Ashley-Koch, study authors include Xue J. Qin, Jennifer H. Lindquist, Melanie E. Garrett, Michelle F. Dennis, Lauren P. Hair, Jennifer E. Huffman, Daniel A. Jacobson, Ravi K. Madduri, Jodie A. Trafton, Hilary Coon, Anna R. Docherty, Niamh Mullins, Douglas M. Ruderfer, Philip D. Harvey, Benjamin H. McMahon, David W. Oslin, Jean C. Beckham, Elizabeth R. Hauser, Michael A. Hauser, the MVP Suicide Exemplar Workgroup, the International Suicide Genetics Consortium, the VA Mid-Atlantic

MIRECC Workgroup, and the VA Million Veteran Program.

More information: Identification of Novel, Replicable Genetic Risk Loci for Suicidal Thoughts and Behaviors Among US Military Veterans, *JAMA Psychiatry* (2022). [jamanetwork.com/journals/jama/...
psychiatry.2022.3896](https://jamanetwork.com/journals/jama/psychiatry.2022.3896)

Provided by Duke University Medical Center

Citation: Four genes identified as heightening risk of suicidal thoughts, actions (2022, December 14) retrieved 25 April 2024 from <https://medicalxpress.com/news/2022-12-genes-heightening-suicidal-thoughts-actions.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.