

Genetic mechanism associated with highcalorie food-fueled obesity revealed

December 23 2022



Osaka Metropolitan University scientists have revealed that the transcription cofactor gene CRTC1 mediates the obesity-suppressing effects of melanocortin-4 receptor (MC4R) by regulating appetite for fats and oils, high-fat diet metabolism, and blood sugar. Credit: *The FASEB Journal* (2022). DOI: 10.1096/fj.202200617R

High-calorie foods—high in fat, oil, and sugar—can taste good but often cause overeating, leading to obesity and major health problems. But what stimulates the brain to cause overeating?

Recently, it has become clear that a gene called CREB-Regulated



Transcription Coactivator 1 (CRTC1) is associated with obesity in humans. When CRTC1 is deleted in mice, they become obese, indicating that functioning CRTC1 suppresses obesity. However, since CRTC1 is expressed in all neurons in the brain, the specific neurons responsible for suppressing obesity and the mechanism present in those neurons remained unknown.

To elucidate the mechanism by which CRTC1 suppresses obesity, a research group led by Associate Professor Shigenobu Matsumura from the Graduate School of Human Life and Ecology at Osaka Metropolitan University focused on neurons expressing the melanocortin-4 receptor (MC4R).

They hypothesized that CRTC1 expression in MC4R-expressing neurons suppressed obesity because mutations in the MC4R gene are known to cause obesity. Consequently, they created a strain of mice that expresses CRTC1 normally except in MC4R-expressing neurons where it is blocked to examine the effect that losing CRTC1 in those neurons had on obesity and diabetes.

When fed a <u>standard diet</u>, the mice without CRTC1 in MC4R-expressing <u>neurons</u> showed no changes in <u>body weight</u> compared to control mice. However, when the CRTC1-deficient mice were raised on a <u>high-fat diet</u>, they overate, then became significantly more obese than the control mice and developed diabetes.

"This study has revealed the role that the CRTC1 gene plays in the brain, and part of the mechanism that stops us from overeating high-calorie, fatty, and sugary foods," said Professor Matsumura. "We hope this will lead to a better understanding of what causes people to overeat."

The research results were published in the FASEB Journal.



More information: Shigenobu Matsumura et al, CRTC1 deficiency, specifically in melanocortin-4 receptor-expressing cells, induces hyperphagia, obesity, and insulin resistance, *The FASEB Journal* (2022). DOI: 10.1096/fj.202200617R

Provided by Osaka Metropolitan University

Citation: Genetic mechanism associated with high-calorie food-fueled obesity revealed (2022, December 23) retrieved 6 May 2024 from <u>https://medicalxpress.com/news/2022-12-genetic-mechanism-high-calorie-food-fueled-obesity.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.