

Opioids frequently prescribed to patients with cirrhosis

December 29 2022, by Elana Gotkine HealthDay Reporter



Opioids are frequently prescribed to patients with cirrhosis, often

without a pain diagnosis, according to a research letter published online Dec. 8 in *Clinical Gastroenterology and Hepatology*.

Anna H. Lee, M.D., from the David Geffen School of Medicine at the University of California in Los Angeles, and colleagues conducted a retrospective study using cross-sectional data of U.S. ambulatory visits for patients older than 18 years with [cirrhosis](#) during 2006 to 2015 from the National Ambulatory Medical Care Survey. The primary outcome was the presence of an opioid prescription, and characteristics associated with opioid prescriptions were analyzed.

The researchers identified 516 visits involving patients with cirrhosis, representing 12,345,196 weighted visits. Overall, 19 percent of visits resulted in an opioid prescription; 93 percent were renewals. Pain diagnoses were seen in 30 and 33 percent of cirrhosis visits and visits with an opioid prescription, respectively. Pain diagnoses from opioid prescription visits were musculoskeletal/joint-related, endocrine, neurologic, genitourinary, gastrointestinal, and infectious in 41, 25, 22, 5, 4, and 3 percent, respectively. Among patients with cirrhosis, opiate prescriptions were predicted by primary care physician specialty, provider continuity, patients' older age, male gender, and Black race in a multivariate analysis (odds ratios [95 percent confidence intervals], 3.40 [1.58 to 7.34], 2.35 [1.27 to 4.34], 1.34 [1.08 to 1.67], 1.94 [1.00 to 3.74], and 2.71 [1.23 to 5.94], respectively).

"Encounters involving older, male, Black [patients](#), and [primary care physicians](#) were associated with prescription risk," the authors write. "De-escalation efforts should be individualized towards these patient communities and prescribers, who may be less familiar with the patient population and should be educated on risks of their opioid use."

More information: Anna H. Lee et al, Opioid Prescription Patterns and Disparities during Ambulatory Encounters in Patients with

Cirrhosis, *Clinical Gastroenterology and Hepatology* (2022). DOI: [10.1016/j.cgh.2022.11.016](https://doi.org/10.1016/j.cgh.2022.11.016)

Copyright © 2022 [HealthDay](#). All rights reserved.

Citation: Opioids frequently prescribed to patients with cirrhosis (2022, December 29) retrieved 19 April 2024 from

<https://medicalxpress.com/news/2022-12-opioids-frequently-patients-cirrhosis.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.