


Researchers study pain-relieving neural mechanisms by activation of the motor cortex

December 27 2022



Stained nerve tracts in the motor cortex of a mouse. Credit: Heidelberg University Hospital

The motor cortex controls the voluntary movement of muscles. It remains largely unclear why its electrical or magnetic stimulation can



alleviate therapy-resistant chronic pain—albeit unreliably. An interdisciplinary research group at the Medical Faculty of Heidelberg (MFHD) has now tracked down the underlying mechanisms and nerve pathways in mice.

The scientists showed that certain nerve pathways of the motor cerebral cortex are indirectly connected to the emotion centers in the brain, process both <u>pain</u>-related information and emotions by direct activation, and thus reduce the sensation of pain. Consequently, the team not only defines a new brain circuit for neurostimulation in pain therapy, but also brings the brain's own reward system into focus as a starting point for future treatments. The results are now published in the journal *Science*.

The research was conducted within the framework of CRC1158 "From Nociception to Chronic Pain," whose spokesperson is Professor Dr. Rohini Kuner, Director of the Institute of Pharmacology at the MFHD.

If <u>chronic pain</u>, for example resulting from <u>nerve injury</u> (so-called neuropathic pain), does not respond to pharmacological therapies, socalled neurostimulation can be considered. This involves placing noninvasive electrodes on the scalp and stimulating certain cerebral regions using electrical or magnetic stimuli.

"There is great need for improvement in this therapy because little is known about how stimulation works, such as where the electrodes should best be placed, which nerve pathways achieve <u>pain relief</u>, and how they respond to stimulation," explained Prof. Kuner, senior author of the article. "Our findings make an important contribution in explaining the neurobiological basis of brain stimulation for chronic pain and developing it further as a therapeutic procedure."

For their work, the researchers focused on the so-called <u>motor cortex</u>, the part of the <u>cerebral cortex</u> whose stimulation has so far had the



greatest effect on chronic pain. It consists of several layers that are interconnected in different ways.

The first author Zheng Gan, a scientist in Rohini Kuner's research group, and the team specifically switched on or off the various nerve pathways in this area of the brain using genetic modifications in living mice to test their influence on pain perception. "We have shown that indeed the motor cortex, more specifically the M1 region, is the key to pain relief. This was previously suspected, but had not been directly demonstrated," Zheng says.

The team also identified two nerve cell circuits in the two lowest layers of the M1 cortex that are centrally responsible for pain relief: In the penultimate layer 5, these are the <u>nerve cells</u> that influence pain perception and processing via the spinal cord. Although their activation reduced the hypersensitivity to sensory stimuli, it could not completely eliminate ongoing pain. Only when certain nerve cells of the lowest layer 6 were activated did complete relief occur.

"We were surprised to find that these neural pathways are indirectly connected to the reward system in deeper brain areas that process emotions," Prof. Kuner said. "They probably influence the emotional component of the pain experience. This connection was previously unknown and raises interesting new questions."

Recommendations for the use of <u>brain</u> stimulation in chronic pain can be derived from the results: For it to have an optimal effect, it must reach the two lower layers of the motor cortex. Furthermore, based on this work, parameters for therapy control can now be developed and thus the method can be refined.

More information: Zheng Gan et al, Layer-specific pain relief pathways originating from primary motor cortex, *Science* (2022). <u>DOI:</u>



10.1126/science.add4391

Provided by Universitätsklinikum Heidelberg

Citation: Researchers study pain-relieving neural mechanisms by activation of the motor cortex (2022, December 27) retrieved 4 May 2024 from <u>https://medicalxpress.com/news/2022-12-pain-relieving-neural-mechanisms-motor-cortex.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.