


Short cognitive behavioral therapy program is also effective at reducing anxiety among school children

December 9 2022



A study conducted in Japan indicated that children who underwent 20-minute-long cognitive behavioral therapy-based programs exhibited lower symptoms of anxiety as compared to children who did not. Credit: Yuko Urao from Chiba University

Anxiety disorders are highly prevalent psychological disorders among children. Anxiety negatively affects a child's sense of self-esteem, leading to under-achievement in school. Moreover, anxiety may

exacerbate low self-esteem in children who already experience it. This increases their likelihood of avoiding socialization, indulging in negative interactions with their peers, and remaining absent from classes. If left untreated, anxiety can lead to severe psychological disorders over time.

To remedy this, a preventive intervention based on Cognitive Behavioral Therapy (CBT) for children, Journey of the Brave, was developed and introduced in Japanese schools in 2014.

While the program was somewhat effective, each CBT session took 45 minutes to complete over a span of 10 weeks, during which the regular class time was lost. In Japan, [school](#) going children have busy schedules due to a packed school curriculum, and it is quite difficult to set time aside for a preventive program.

Recently a team of researchers led by Dr. Yuko Urao—a Specially Appointed Lecturer at the Research Center for Child Mental Development, including Dr. Eiji Shimizu and Ms. Michiko Yoshida from the Graduate School of Medicine, Chiba University, and Dr. Yasunori Sato from Keio University School of Medicine, Japan developed a streamlined and shorter version of the Journey of the Brave CBT-program. Their findings were published in *BMC Psychiatry*.

"The effectiveness of the CBT-based anxiety prevention program Journey of the Brave, aimed at Japanese higher-grade [elementary school children](#) has been confirmed by previous studies. But to implement and spread it on a large scale was problematic due to difficulties in securing extensive class time of ten 45-minute-long sessions," said Dr. Urao while discussing the motivation behind the study.



Journey of the Brave is a behavioral intervention program that was developed with an aim to reduce anxiety among school-going children in Japan. Credit: Yuko Urao from Chiba University

The team spent 14 weeks and designed the sessions to only last for 20 minutes. They conducted them during the homeroom activity time in the morning instead of after school hours, for children aged 10 to 11 of a Japanese school. This age group was targeted since children of these ages experience class shuffle and tend to take on new responsibilities as school or class leaders.

Further, the children were divided into control and intervention groups, with the former not attending any CBT-based sessions. The team assessed the children at the pre-intervention and post-intervention stages, as well as during a two-month follow-up period. Their anxiety-based symptoms were measured using the Spence Children's Anxiety Scale (SCAS), and the [behavioral problems](#) were measured using the Strengths and Difficulties Questionnaire (SDQ).

The findings suggested a statistically significant reduction in the SCAS scores during the 2-month follow-up period, as well as a reduction in the SDQ scores. These findings suggest that the children benefitted from the CBT-based program when it was delivered in a short and divided format.

"Since this version of the program is shorter, a greater number of schools will be able to implement it. In addition, the greater number of schools participate, the more teachers will be able to focus on children's anxiety. Moreover, it will lead to an improved school environment where children will retain their peace of mind," Dr. Urao said while discussing the findings.

Dr. Urao said, "When CBT-based anxiety prevention programs prevail and help children learn [self-control](#) over their anxious feelings, their mental-health related problems will decrease, allowing them to grow to their full potential."

More information: Yuko Urao et al, School-based cognitive behavioural intervention programme for addressing anxiety in 10- to 11-year-olds using short classroom activities in Japan: a quasi-experimental study, *BMC Psychiatry* (2022). [DOI: 10.1186/s12888-022-04326-y](#)

Provided by Chiba University

Citation: Short cognitive behavioral therapy program is also effective at reducing anxiety among school children (2022, December 9) retrieved 27 April 2024 from <https://medicalxpress.com/news/2022-12-short-cognitive-behavioral-therapy-effective.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.