

Women who take more steps per day may have a lower risk of diabetes

December 13 2022



Credit: Pixabay/CC0 Public Domain

Wearable fitness devices offer new insights into the relationship between physical activity and type 2 diabetes, according to a new analysis of the National Institutes of Health's All of Us Research Program data

published in *The Journal of Clinical Endocrinology & Metabolism*.

Type 2 [diabetes](#) is the most common form of the disease, affecting 90% to 95% of people with diabetes. In type 2 diabetes, the body is resistant to the action of insulin, meaning it cannot use insulin properly, so it cannot carry sugar into the cells. Type 2 diabetes most often develops in people over age 45, but more and more children, teens and young adults are being diagnosed.

"We investigated the relationship between physical activity and type 2 diabetes with an innovative approach using data from [wearable devices](#) linked to [electronic health records](#) in a real-world population," said Andrew S. Perry, M.D., of Vanderbilt University Medical Center in Nashville, Tenn.

"We found that people who spent more time in any type of [physical activity](#) had a lower risk of developing type 2 diabetes. Our data shows the importance of moving your body every day to lower your risk of diabetes."

The researchers analyzed Fitbit data and type 2 diabetes rates from 5,677 participants included in the NIH's All of Us Research Program between 2010-2021. All of Us is part of an effort to advance individualized [health care](#) by enrolling one million or more participants to contribute their health data over many years. About 75% of the participants that the researchers studied were female.

They found 97 new cases of diabetes over a follow-up of 4 years in the data set. People with an average daily step count of 10,700 were 44% less likely to develop type 2 diabetes than those with 6,000 steps.

"We hope to study more diverse populations in future studies to confirm the generalizability of these findings," Perry said.

More information: Andrew S Perry et al, Association of longitudinal activity measures and diabetes risk: an analysis from the NIH All of Us Research Program, *The Journal of Clinical Endocrinology & Metabolism* (2022). [DOI: 10.1210/clinem/dgac695](https://doi.org/10.1210/clinem/dgac695)

Provided by The Endocrine Society

Citation: Women who take more steps per day may have a lower risk of diabetes (2022, December 13) retrieved 7 May 2024 from <https://medicalxpress.com/news/2022-12-women-day-diabetes.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--