

500,000 missed out on blood pressure lowering drugs during pandemic, says UK study

January 19 2023



Credit: Pixabay/CC0 Public Domain

Nearly half a million people missed out on starting medication to lower their blood pressure during the COVID-19 pandemic, according to

research supported by the British Heart Foundation (BHF) Data Science Center at Health Data Research U.K. published today in *Nature Medicine*.

The researchers say that thousands of people could suffer an avoidable heart attack or stroke due to delays in starting these vital medications known to stave-off deadly heart and circulatory diseases.

Using data on routinely dispensed prescriptions in England, Scotland and Wales, scientists found that 491,306 fewer people than expected started taking [blood pressure](#) lowering [medication](#) between March 2020 and the end of July 2021.

If these individuals' high blood pressure remains untreated over their lifetime, the team estimate that this could lead to more than 13,500 additional cardiovascular events, including over 2,000 heart attacks and 3,000 strokes.

These findings highlight an important opportunity for the NHS to identify and treat people who should have started taking medicines to reduce their risk of conditions including heart attack and stroke.

Lead author Professor Reecha Sofat, associate director at the BHF Data Science Center, Breckenridge Chair of Clinical Pharmacology at the University of Liverpool, said, "Measures to prevent infection spread were necessary and undoubtedly saved lives. The NHS has already taken important and positive steps towards identifying people with high blood pressure as early as possible. However, we need this focus to be sustained in the long-term to prevent any increase in heart attacks and strokes which will add to a [healthcare system](#) already under extreme pressure."

To understand more about the impact of the COVID-19 pandemic on the

management of risk factors for heart and circulatory diseases, the researchers analyzed 1.32 billion records of medications dispensed to 15.8 million people in England, Scotland and Wales between 1 April 2018 and 31 July 2021.

This showed that, by the first half of 2021, on average, 27,070 fewer people started taking blood pressure lowering medication each month between compared with 2019. In the same period, they found that 16,744 fewer people started taking medication to reduce levels of fat or cholesterol in their blood each month.

Identifying the individuals who missed starting medication as soon as possible will be critical to reduce their cardiovascular risk. The team believe that identifying those who missed out on blood pressure treatment within five years would reduce the total number of cardiovascular events to just over 2,700.

This is the first time that medicines data has been used to follow changes in day-to-day management of chronic conditions. The researchers say that being able to routinely track this in future, particularly during healthcare crises, would allow the NHS and policymakers to step in earlier to avoid a repeat of the impact of the COVID-19 pandemic.

Professor Sofat added, "Despite the incredible work done by NHS staff, our data show that we're still not identifying people with cardiovascular risk factors at the same rate as we were before the pandemic.

"Detecting these risk factors early and beginning medication where appropriate is crucial to manage them, helping more people to avoid a preventable [heart attack](#) or stroke so they can live in good health for longer."

Dr. Sonya Babu-Narayan, associate medical director at the British Heart

Foundation and consultant cardiologist, said, "Yet again we're seeing clear evidence of the major disruption to healthcare people in the U.K. experienced during the COVID-19 pandemic.

"But it's not too late to limit the damage. These findings demonstrate how getting heart healthcare back on track can curb the additional strain that untreated [risk factors](#) such as [high blood pressure](#) would otherwise place on the NHS.

"We need to make it easier and more accessible for everyone to know their numbers—particularly their blood pressure and cholesterol. This means empowering people to access the help they need when they need it so they can be supported to manage their own health."

More information: Caroline E. Dale et al, The impact of the COVID-19 pandemic on cardiovascular disease prevention and management, *Nature Medicine* (2023). [DOI: 10.1038/s41591-022-02158-7](#).
www.nature.com/articles/s41591-022-02158-7

Provided by Health Data Research UK

Citation: 500,000 missed out on blood pressure lowering drugs during pandemic, says UK study (2023, January 19) retrieved 4 May 2024 from <https://medicalxpress.com/news/2023-01-blood-pressure-lowering-drugs-pandemic.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
