

Inpatient blood draws are often performed during sleep hours, patient-care study finds

January 23 2023, by Elisabeth Reitman



Credit: Unsplash/CC0 Public Domain

The sleep of hospitalized patients may be often interrupted due to nonurgent blood draws, a new Yale study has found.



In an analysis of more than 5 million non-urgent blood draws collected at Yale New Haven Hospital (YNHH) from 2016 to 2019, a team of researchers found that a high proportion of them occurred during a threehour window in the early morning.

"We found that nearly four in 10 of total daily blood draws were performed between 4 a.m. and 7 a.m.," said César Caraballo-Cordovez, MD, a postdoctoral associate at Yale Center for Outcomes Research and Evaluation (CORE) and co-lead author of the study. "Importantly, we found that this occurred across <u>patients</u> with different sociodemographic characteristics, including older individuals who are at highest risk of adverse health events from <u>sleep deprivation</u>."

Although early morning blood draws are often considered necessary to inform decisions during morning medical rounds, the authors suggest that <u>sleep</u> interruptions may increase the risk of delirium and other adverse events. "Patients who were recently hospitalized experience a period of generalized risk for myriad adverse health events, a condition named posthospital syndrome," added Dr. Caraballo-Cordovez. "The stress that patients experience during the hospitalization—including stress from sleep deprivation—is a key contributor to this period of increased risk."

"This is not an issue at just one hospital," said Harlan M. Krumholz, MD, SM, professor of medicine and <u>public health</u> at Yale and CORE director. "Our findings reflect an aspect of how inpatient hospital care is being delivered in modern medicine. A more patient-centered care would limit nonurgent tests during sleep hours. However, these <u>early</u> <u>morning</u> blood draws are often considered necessary to make decisions during rounds."

"We need to re-design our process to protect patients' sleep, but major changes in our practice must be informed by solid studies that



demonstrate the efficacy of strategies to do so without untoward effects," added Krumholz.

The work is published in the journal JAMA.

More information: César Caraballo et al, Timing of Blood Draws Among Patients Hospitalized in a Large Academic Medical Center, *JAMA* (2023). DOI: 10.1001/jama.2022.21509

Provided by Yale University

Citation: Inpatient blood draws are often performed during sleep hours, patient-care study finds (2023, January 23) retrieved 27 April 2024 from https://medicalxpress.com/news/2023-01-inpatient-blood-hours-patient-care.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.