


Researchers discover why only some people experience long-term benefits from peanut allergy treatments

January 19 2023, by Noah Brown



Graphical abstract. Credit: *Journal of Clinical Investigation* (2023). DOI: 10.1172/JCI164501

Food allergies are caused by IgE antibodies that are generated by the immune system and bind to allergens such as peanuts, triggering a reaction that in extreme cases can be potentially life-threatening.

New research by scientists at Massachusetts General Hospital (MGH), University of Paris Saclay, and the National Institute of Environmental Health Sciences (NIEHS) reveals why [oral immunotherapy](#), which treats food allergies through incremental increases in consumption of the allergen, can lead to sustained tolerance in some individuals but only transient tolerance in others.

The findings, which are published in the *Journal of Clinical Investigation*, may help investigators improve [allergy](#) treatments so that all patients can benefit.

Ingestion of [allergens](#) through oral immunotherapy as treatment for food allergies increases blood levels of allergen-specific IgG neutralizing antibodies that can block IgE-mediated allergic reactions. Only a subset of individuals with [peanut allergy](#) develop sustained responses to oral immunotherapy, however.

"We hypothesized that in people with long-lived tolerance after peanut oral immunotherapy, allergen-specific protective antibodies may have unique properties—for example in how they recognize the allergen—that may result in their ability to more effectively neutralize the allergen on exposure and therefore result in tolerance," says senior author Sarita U. Patil, MD, an assistant in Medicine at MGH and an Assistant Professor at Harvard Medical School.

To investigate, Patil and her colleagues analyzed blood collected from pediatric and adult participants of two peanut oral immunotherapy [clinical trials](#) at MGH, and they applied a fluorescence-based method developed previously by Patil to identify cells in the blood that make antibodies against the peanut allergen.

The team discovered that neutralizing antibodies from patients with sustained tolerance after immunotherapy block certain regions of the

peanut allergen, therefore disrupting the ability of IgE antibodies to bind. Antibodies from patients with only transient tolerance after immunotherapy did not block these same regions.

A team of researchers at NIEHS led by Geoffrey Mueller, Ph.D. was able to specifically identify these important regions. "We were able to use X-ray crystallography to see some of the first complex structures describing how human antibodies interact with [peanut](#) allergens," says Mueller. "After studying allergens for so many years, it was very gratifying and an important new development."

"Our paper is the first to describe neutralizing antibodies in allergy, describe their mechanism, and identify tools to assess their efficacy in preventing allergy IgE antibodies from binding to the allergen," says Patil.

"This provides a new path for both therapeutic and diagnostic test development. As a therapeutic, neutralizing antibodies may be able to provide clinical protection. From a diagnostic perspective, we may be able to predict about future tolerance development based on the presence or absence of these antibodies in patients."

More information: Nicole A. LaHood et al, Immunotherapy-induced neutralizing antibodies disrupt allergen binding and sustain allergen tolerance in peanut allergy, *Journal of Clinical Investigation* (2023). [DOI: 10.1172/JCI164501](https://doi.org/10.1172/JCI164501)

Provided by Massachusetts General Hospital

Citation: Researchers discover why only some people experience long-term benefits from peanut allergy treatments (2023, January 19) retrieved 10 May 2024 from

<https://medicalxpress.com/news/2023-01-people-long-term-benefits-peanut-allergy.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.