

Seniors had high burden of RSV-positive respiratory infection before COVID-19

January 23 2023, by Elana Gotkine



The burden of respiratory syncytial virus (RSV)-positive acute

respiratory infection (ARI) in older adults was considerable before COVID-19 and is associated with lower quality of life (QOL), according to a study published online Jan. 20 in *JAMA Network Open*.

Young J. Juhn, M.D., M.P.H., from the Mayo Clinic in Rochester, Minnesota, and colleagues conducted a community-based cohort study that followed 2,325 adults aged 50 years or older for two RSV seasons from 2019 to 2021 to examine the incidence of RSV-positive ARI before and during the COVID-19 pandemic.

The researchers found that the incidence rate of RSV-positive ARI was 48.6 per 1,000 person-years before the pandemic, with an attack rate of 2.50 percent. During the COVID-19 pandemic RSV season, there were no RSV-positive ARI cases identified. During the summer of 2021, the incidence was 10.2 per 1,000 person-years and the attack rate was 0.42 percent.

Participants with RSV-positive ARI reported a significantly lower quality-of-life adjusted mean difference within two to four weeks after RSV-positive ARI compared with matched RSV-negative ARI, based on pre-pandemic RSV season results. Those with RSV-positive versus RSV-negative ARI had lower quality of life at six to seven and at 12 to 13 months after RSV-positive ARI.

"RSV-positive ARI was associated with significant long-term impacts on health-related QOL beyond the acute infection in adults over 50," the authors write. "An effective RSV vaccine might be an important measure to mitigate the impact of RSV-positive ARI, especially in [older adults](#)."

More information: Young J. Juhn et al, Incidence of Respiratory Syncytial Virus Infection in Older Adults Before and During the COVID-19 Pandemic, *JAMA Network Open* (2023). [DOI](#):

[10.1001/jamanetworkopen.2022.50634](https://jamanetwork.com/jama-network-open/fulltext/2022/50634)

Copyright © 2023 [HealthDay](#). All rights reserved.

Citation: Seniors had high burden of RSV-positive respiratory infection before COVID-19 (2023, January 23) retrieved 24 April 2024 from <https://medicalxpress.com/news/2023-01-seniors-high-burden-rsv-positive-respiratory.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.