

Visual food cues can affect your eating behavior even when you are not aware of them

January 10 2023



Scientists show that in the inferior frontal gyrus, neural activity differs in response to food images, depending on whether those images are presented consciously or unconsciously. This difference was associated with scores on eating behaviors such as emotional eating and restrained eating. Credit: Osaka



Metropolitan University

Controlling your food intake can be even more difficult than you think. Osaka Metropolitan University scientists show that visual food cues can affect your eating behavior even when you are not aware of them. Their findings were published in *PLOS ONE*.

Obesity is one of the major pathological conditions that constitute lifestyle-related diseases and is known to be associated with <u>myocardial</u> <u>infarction</u>, stroke, and carcinogenesis. Approaches to regulate eating behavior are widely used in an effort to control obesity, but it has been reported that about half of those who receive dietary guidance return to their original weight within five years.

To explain the limited effectiveness of such guidance, one hypothesis suggests that not only conscious neural processes, which the dietary guidance targets, but also unconscious neural processes play an important role in controlling eating behavior. However, there were no studies directly examining the validity of this hypothesis at the level of <u>neural activity</u>.

The research team led by Professor Takahiro Yoshikawa from the Graduate School of Medicine at Osaka Metropolitan University has revealed that in the <u>inferior frontal gyrus</u>, a region of the brain's <u>frontal</u> <u>lobe</u> that controls eating behavior, neural activity differs in response to visual food stimuli, or food images, depending on whether those images are presented consciously or unconsciously.

Using a questionnaire to assess the study participants, the team found that this difference was associated with their scores on eating behaviors, including emotional eating and cognitive restraint of <u>food intake</u>. These



results indicate that eating behavior cannot be understood without taking into account both unconscious and conscious neural processes.

"If we can learn more in future research about how eating behavior is controlled by unconscious neural processes, we can combine that understanding with our current knowledge of conscious neural processes to potentially develop more effective methods for regulating <u>eating</u> <u>behavior</u>," said Professor Yoshikawa.

More information: Rika Ishida et al, Association between eating behavior and the immediate neural activity caused by viewing food images presented in and out of awareness: A magnetoencephalography study, *PLOS ONE* (2022). DOI: 10.1371/journal.pone.0275959

Provided by Osaka Metropolitan University

Citation: Visual food cues can affect your eating behavior even when you are not aware of them (2023, January 10) retrieved 27 June 2024 from <u>https://medicalxpress.com/news/2023-01-visual-food-cues-affect-behavior.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.