

# Time of day may determine the amount of fat burned by exercise

February 13 2023

---



Credit: Pixabay/CC0 Public Domain

Physical activity at the right time of the day seems able to increase fat metabolism, at least in mice. A new study from Karolinska Institutet in Sweden and the University of Copenhagen in Denmark shows that mice

that did exercise in an early active phase, which corresponds to morning exercise in humans, increased their metabolism more than mice that did exercise at a time when they usually rest. The results are published in the journal *PNAS*.

Physical activity at different times of the day can affect the body in different ways since the [biological processes](#) depend on the circadian rhythms of the cells. To ascertain how the time of day at which exercise is done affects the burning of fat, researchers at Karolinska Institutet and the University of Copenhagen studied the adipose tissue of mice after a session of high-intensity exercise performed at two points of the daily cycle, an early active phase and early rest phase (corresponding to a late morning and late evening session, respectively, in humans). The researchers studied various markers for [fat metabolism](#) and analyzed which genes were active in adipose tissue after exercise.

## Independent of food intake

The researchers found that [physical activity](#) at an early active phase increased the expression of genes involved in the breakdown of adipose tissue, thermogenesis (heat production) and mitochondria in the adipose tissue, indicating a higher metabolic rate. These effects were observed only in mice that exercised in the early active phase and were independent of food intake.

"Our results suggest that late morning exercise could be more effective than late evening exercise in terms of boosting the [metabolism](#) and the burning of fat, and if this is the case, they could prove of value to people who are overweight," says Professor Juleen R. Zierath from the Department of Molecular Medicine and Surgery and the Department of Physiology and Pharmacology, Karolinska Institutet.

## Improve the health benefits of exercise

Mice and humans share many basic physiological functions, and mice are a well-established model for [human physiology](#) and metabolism. However, there are also important differences, such as the fact that mice are nocturnal.

"The right timing seems to be important to the body's energy balance and to improving the [health benefits](#) of exercise, but more studies are needed to draw any reliable conclusions about the relevance of our findings to humans," says Professor Zierath.

**More information:** Pendergrast, Logan A. et al, Time of day determines postexercise metabolism in mouse adipose tissue, *Proceedings of the National Academy of Sciences* (2023). DOI: [10.1073/pnas.2218510120](https://doi.org/10.1073/pnas.2218510120). [doi.org/10.1073/pnas.2218510120](https://doi.org/10.1073/pnas.2218510120)

Provided by Karolinska Institutet

Citation: Time of day may determine the amount of fat burned by exercise (2023, February 13) retrieved 1 May 2024 from <https://medicalxpress.com/news/2023-02-day-amount-fat.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.