

Babesiosis and what you need to know about the 2023 tick season

March 29 2023, by Deb Balzer





Credit: CC0 Public Domain

Tick season is underway in much of the U.S. This season, another tick-borne disease is on the list of concerns. That's because the Centers for Disease Control and Prevention has found a significant increase in reported cases of babesiosis (bah-beez-E-oh-sis) infection in eastern parts of the U.S.

"Babesiosis is another tick-borne <u>disease</u> that we hear about, in addition to Lyme disease, anaplasmosis and others," says Dr. Bobbi Pritt, director of the Clinical Parasitology Laboratory at Mayo Clinic. "Babesiosis is a <u>parasitic disease</u> transmitted by ticks. It's caused primarily by Babesia microti in the U.S., and that's transmitted by the same tick that transmits Lyme disease. The tick is called Ixodes scapularis, and it's commonly known as the black-legged tick, sometimes called the deer tick."

Dr. Pritt says most of the cases of babesiosis are reported in the Northeast and the upper Midwestern states of the U.S.

Symptoms

Symptoms of babesiosis infection may range from people not knowing they are infected to feeling like they have mild flu to life-threatening. Symptoms, if any, can start within a week after a bite from an infected tick.

Flu-like symptoms may include:

- Fever
- Chills
- Sweats



- Loss of appetite
- Nausea
- Fatigue

"They have a fever, chills, body aches and headache; however, some patients may experience more <u>severe symptoms</u>. And babesiosis can even be life-threatening," says Dr. Pritt.

If you feel you have been infected, seek medical care.

Compared to Lyme disease

Babesiosis and Lyme disease —the most common <u>tick-borne disease</u> —can be serious, says Dr. Pritt, but they have different manifestations.

"Lyme disease, if untreated, will disseminate throughout the body to the joints, and to the nervous system in the brain. Whereas babesiosis doesn't have that same pattern of dissemination. However, it can be life-threatening, particularly in patients that are immunocompromised or patients that don't have a functioning spleen. It can be fatal in those individuals," she says.

Reported cases of Lyme disease in the U.S. have continued to increase, says Dr. Pritt.

"We continue to see cases expand into other states along with the tick that spreads it, which is primarily Ixodes scapularis, the black-legged tick or otherwise known as deer tick. And with that tick is the diseases it carries, Lyme disease, as well as things such as the babesiosis, anaplasmosis and numerous other <u>tick-borne diseases</u> as well."

Lyme disease is perhaps one of the most well-known tick-borne illnesses. It is caused by bacteria transmitted through the bite of an



infected black-legged tick. In the U.S., two types of tick-transmitted bacteria cause the illness: Borrelia burgdorferi and Borrelia mayonii. Lyme disease can be a serious, life-threatening disease, affecting many people.

Only a minority of tick bites lead to Lyme disease. The longer a tick remains attached to your skin, the greater the risk of infection. Infection is less likely if the tick is attached for less than 36 to 48 hours.

Prevention is the best medicine

Dr. Pritt says the best way to avoid getting sick with babesiosis, Lyme disease and other tick-borne infections during tick season is to avoid getting tick bites.

She recommends the ABCs of tick bite prevention:

- "A" stands for avoid. You want to avoid the areas where ticks are found and in the upper Midwest and Northeastern states where babesiosis is found. That means areas in the woods where there's brush, leaf litter and tall grasses.
- "B" stands for bug spray. Use it when you're outdoors and you think you're going to be exposed to tick bites or mosquito bites.
- "C" stands for cover up. Wear <u>protective clothing</u>. If you have clothing over your skin, then the ticks won't be able to bite your skin.

The Centers for Disease Control and Prevention recommends using a bug spray that either contains DEET 30% or picaridin. You also could use a bug spray that has oil of lemon eucalyptus in it. Those are all effective.

2023 Mayo Clinic News Network.



Distributed by Tribune Content Agency, LLC.

Citation: Babesiosis and what you need to know about the 2023 tick season (2023, March 29) retrieved 5 June 2024 from https://medicalxpress.com/news/2023-03-babesiosis-season.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.