


Death rates from lung cancer will fall overall in the EU and UK in 2023, but rise among women in France, Italy and Spain

March 6 2023



Bar plots of age-standardized (world population) mortality rates per 100,000 persons for the year 2018 (purple) and predicted rates for 2023 (green) with 95% prediction intervals for all cancers combined and major cancer sites according to sex in EU-27 (top panel) and U.K. (bottom panel). Credit: *Annals of Oncology* (2023). DOI: 10.1016/j.annonc.2023.01.010



A total of 1,261,990 people will die from cancer in 2023 in the EU (EU-27). A further 172,314 people will die from the disease in the U.K., according to new research published in the journal *Annals of Oncology* today (March 6).

Researchers led by Carlo La Vecchia (MD), a professor at the University of Milan (Italy), estimate there will be a 6.5% fall in cancer <u>death rates</u> in men and a 3.7% fall in women between 2018 and 2023.

They predict that <u>death</u> rates from the ten most common cancers will continue to fall in most European countries in 2023, although the numbers of people dying will go up due to aging populations. A greater proportion of elderly people in the population means there is a greater number at the age where they are more likely to develop and die from cancer.

Compared to a peak in cancer death rates in 1988, the researchers calculate that nearly 5.9 million deaths will have been avoided in the 35 years between 1989 and 2023 in the EU-27. In the U.K., 1.24 million deaths will have been avoided.

Prof. La Vecchia said, "If the current trajectory of declining cancer death rates continues, then it is possible there could be a further 35% reduction by 2035. More smokers quitting contribute to these favorable trends. In addition, greater efforts need to be made to control the growing epidemic in overweight, obesity and diabetes, <u>alcohol</u> consumption and infections, together with improvements in screening, early diagnosis and treatments.

"The advances in <u>tobacco control</u> are reflected in the favorable <u>lung</u> <u>cancer</u> trends but more could be done in this respect, particularly among women, as lung cancer death rates continue to rise among them. No deaths from lung cancer have been avoided in women, both in the EU-27



and the U.K., during the period between 1989 and 2023.

"Pancreatic cancer is also a cause for concern, as death rates from this disease will not fall among men and will rise by 3.4% in women in the EU and 3.2% in women in the U.K. Smoking can explain between about a quarter to a third of these deaths, and women, particularly in the middle and older age groups, did not give up smoking as early as men."

The researchers analyzed cancer death rates in the EU 27 member states as a whole and separately in the U.K. They also looked at the five most populous EU countries (France, Germany, Italy, Poland and Spain) and, individually, for stomach, intestines, pancreas, lung, breast, uterus (including cervix), ovary, prostate, bladder and leukemias for men and women. Prof La Vecchia and his colleagues collected data on deaths from the World Health Organization and Eurostat databases from 1970 to 2018 for most of the EU-27 and the U.K. This is the thirteenth consecutive year the researchers have published these predictions.

In the EU-27 countries the researchers predict that will be an age standardized rate (ASR) of 123.8 deaths per 100,000 men by the end of 2023. In women, the age standardized death rate will be 79.3 per 100,000. In the U.K., the death rates will be 106.5 and 83.5 per 100,000 for men and women, respectively.

Cancer death rates will fall for all cancers in men in the EU-27 and the U.K. They will also fall for women in the U.K. Among EU women, death rates will rise by 3.4% to nearly six per 100,000 for pancreatic cancer, and to just over 1% to 13.6 per 100,000 for lung cancer. Although there will be a 13.8% drop in lung cancer death rates among women in the U.K., the death rate of 16.2 per 100,000 is still higher than among EU women because more U.K. women started smoking earlier than those in the EU. Lung cancer now kills more women in the U.K. than breast cancer, which has a death rate of 13.5 per 100,000.



When the researchers looked specifically at lung cancer death rates in five EU countries as well as the U.K., they found that, although death rates are predicted to fall in men for all six countries, for women they will rise by nearly 14% in France, 5.6% in Italy and 5% in Spain. Among women in different age groups, the researchers found a decrease in predicted death rates from lung cancer among those aged 25 to 64, but an increase in those aged 65 to over 75 years, and consequently an increase overall.

"This is because women now aged 45 to 65, born in the 1960s and 1970s, have smoked less and stopped earlier than those born in the 1950s, who were in their twenties in the 1970s when smoking among young women was most prevalent," said Prof. Eva Negri from the University of Bologna (Italy), co-leader of the research.

Colorectal (bowel) cancer will be the third biggest killer for women in both the EU and the U.K.: eight and ten per 100,000, respectively. Prostate cancer will be the third biggest killer for men: 9.5 and 11.2 per 100,000 in the EU and U.K., respectively.

The researchers say that organized screening programs using low dose computed tomography (CT scans) could reduce deaths from lung cancer by up to 20%. However, there are no such organized programs in Europe, and it is too early to evaluate the impact of screening in the U.K., following the Lung Cancer Screening trial.

The researchers highlight the role that overweight and obesity plays in cancers such as post-menopausal breast, endometrial (womb) cancer, stomach and colorectal cancer. Although death rates from stomach cancer are falling overall, mainly because of improved methods of food preservation, healthier diets and a decline in Helicobacter pylori infection, approximately a third of stomach cancers now occur in the cardia, the entrance to the stomach, and are associated with overweight



and obesity and, hence, reflux, which is a risk factor for the development of cancer at this site. For colorectal cancer, death rates are falling in the EU but the decline has slowed in the U.K.

"This is concerning as increases in both incidence and mortality from colorectal cancer in young <u>women</u> have been recorded in the U.K. This can be partly explained by the prevalence of overweight and obesity, and alcohol and tobacco consumption," said Prof. Negri.

The researchers caution that their estimates do not take account of the COVID pandemic, which occurred after the dates when data were available on cancer deaths. "The COVID-19 pandemic may have an effect on cancer mortality in 2023 as a result of delayed visits and procedures, influencing both secondary prevention and treatment, and disease management for <u>cancer</u>," they write.

More information: M. Malvezzi et al, European cancer mortality predictions for the year 2023 with focus on lung cancer, *Annals of Oncology* (2023). DOI: 10.1016/j.annonc.2023.01.010

Provided by European Society for Medical Oncology

Citation: Death rates from lung cancer will fall overall in the EU and UK in 2023, but rise among women in France, Italy and Spain (2023, March 6) retrieved 26 April 2024 from https://medicalxpress.com/news/2023-03-death-lung-cancer-fall-eu.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.