


Despite misperceptions, hormone therapy may actually reduce risk of lung cancer

March 1 2023



Credit: Pixabay/CC0 Public Domain

Controversies surrounding hormone therapy (HT) and its benefits and risks have dominated the women's health field for more than 2 decades. A large new study demonstrates that, despite some commonly held misperceptions, HT doesn't increase a woman's risk of developing lung cancer, and it could actually help reduce the risk. Study results are published online today in *Menopause*.

Lung cancer remains one of the most common malignancies and the leading cause of cancer mortality worldwide. After [breast cancer](#), it is the most common cancer in women, with its incidence increasing in women over the past few decades. Although smoking remains the number-one risk factor for developing lung cancer, it is estimated that from 20% to 50% of affected women are nonsmokers.

Because the characteristics of lung cancer in women differ from those in men, there has been speculation within the medical field that such sex-related differences could be explained by hormone factors. Several previous studies suggested that an increase in sex-steroid hormones can influence [cell biology](#) and contribute to the development and progression of lung cancer in women through binding with [hormone receptors](#). Other studies have produced conflicting results by suggesting that women have a lower risk of lung cancer during their reproductive years.

Study results have been inconsistent regarding the association between HT and the risk of lung cancer development, with some suggesting HT leads to greater risk and others stating it results in lower risk. This latest study, which is based on data from more than 38,000 [postmenopausal women](#), sought to investigate the association between HT and lung cancer risk based on dosage.

After 16 years of follow-up, the study's researchers concluded that HT is not associated with an increased risk of lung cancer in postmenopausal women. In fact, it found that with a higher cumulative dosage of HT or a therapy duration that was longer than 5 years, the risk of developing lung cancer was lower.

Study results are published in the article "The association between hormone therapy and risk of lung cancer in postmenopausal women: a 16-year nationwide population-based study."

"This population-based study showed that hormone therapy use was not associated with lung cancer risk and, further, that it may be linked with a lower risk of [lung cancer](#). This is reassuring for women weighing the cumulative risks and benefits of [hormone therapy](#) for management of menopause symptoms or osteoporosis prevention," says Dr. Stephanie Faubion, NAMS medical director.

More information: Chia-Chen Wu et al, The association between hormone therapy and the risk of lung cancer in postmenopausal women: a 16-year nationwide population-based study, *Menopause* (2023). DOI: [10.1097/GME.0000000000002165](https://doi.org/10.1097/GME.0000000000002165)

Provided by The North American Menopause Society

Citation: Despite misperceptions, hormone therapy may actually reduce risk of lung cancer (2023, March 1) retrieved 27 April 2024 from <https://medicalxpress.com/news/2023-03-misperceptions-hormone-therapy-lung-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
