


Increasing education opportunities for girls could help reduce preventable deaths in children under five

March 24 2023, by Ansa Heyl



Trends of U5MR by rural-urban and mothers' educational attainment, India, NFHS-I to NFHS-IV. Credit: *Health & Place* (2023). DOI: 10.1016/j.healthplace.2023.102987

Sustainable Development Goal (SDG) 3.2.1. aims to end preventable deaths of newborns and under-five children by 2030. Although significant progress has been made worldwide in this regard with global under-five deaths falling from 12.5 million in 1990 to 5 million in 2020, it is still a grave concern in many developing countries.

This decline is primarily ascribed to improvements in the education of women, along with an increase in living standards and access to healthcare. How the educational attainment level of mothers affects the under-five mortality rate in rural and [urban areas](#) has however not been sufficiently explored until now.

In their study recently published in the journal *Health & Place*, IIASA researchers Moradhvaj and Samir K.C. for the first time explored the relationship between maternal education and children's health in the rural-urban context in India. Their aim was to find out whether a mother's educational attainment influences the under-five mortality rate between rural and urban areas in India, and how this has changed over the last three decades. (The under-five mortality rate is the probability of a child dying between birth and its fifth birthday).

"Understanding how education affects under-five mortality is crucial for understanding future population dynamics in developing countries," notes K.C., who leads the Multidimensional Demographic Modeling Research Group of the IIASA Population and Just Societies Program.

In their study the researchers analyzed five rounds of the Indian National Family Health Survey (NFHS I-V) conducted between 1992 to 1993, and 2019 to 2021. The under-five mortality rate was calculated using data from a questionnaire, which collected detailed information about birth history data among women, especially the date of birth and survival status of each live birth, and the age at death of each deceased live birth.

The questionnaire also provided additional information such as age, education, religion, caste, and reproductive behaviors. The data gathered was then fed into a hazard model to analyze predictors of under-five mortality.

The results show that under-five mortality remained higher in rural India

across the five study surveys, which may be attributed to poor socioeconomic and healthcare conditions that prevailed there.

However, after controlling for socioeconomic and maternal health predictors, the earlier surveys show a higher risk of under-five deaths in urban areas that have converged in recent years, resulting in no significant difference between rural and urban areas. Increasing maternal education, and especially [secondary education](#), was found to reduce the risk of under-five deaths across the surveys.

"In recent years, there have been no significant differences in the under-five mortality rate of children born to mothers with an [education level](#) below- or at the primary level, but we know that in the past, the impact of maternal education on mortality differed between rural and urban areas. We found that women with a secondary education living in urban areas, experienced lower child mortality than their rural counterparts with a similar level of education. We did however not find the same effect in the most recent surveys," explains Moradhvaj, a researcher in the same research group at IIASA.

The researchers conclude that, overall, [maternal education](#), particularly secondary education, remained a protective factor for under-five mortality in both rural and urban areas, even after controlling for predictors.

"While current policies seem to be on the right track, it will be important to increase the [educational opportunities](#) in rural and urban areas with a particular focus on secondary [education](#) for girls to ensure that we keep up the decline in the under-five [mortality](#) rate in both rural and urban areas in India," K.C. concludes.

More information: Moradhvaj et al, Differential impact of maternal education on under-five mortality in rural and urban India, *Health &*

Place (2023). [DOI: 10.1016/j.healthplace.2023.102987](https://doi.org/10.1016/j.healthplace.2023.102987)

Provided by Trends of U5MR by rural-urban and mothers' educational attainment, India, NFHS–I to NFHS-IV.

Citation: Increasing education opportunities for girls could help reduce preventable deaths in children under five (2023, March 24) retrieved 25 April 2024 from <https://medicalxpress.com/news/2023-03-opportunities-girls-deaths-children.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.