

Nurse sounds a warning on hearing loss for COVID-19 patients

April 14 2023



UniSA nursing lecturer Kim Gibson who lost her hearing temporarily after contracting a mild case of COVID-19. Credit: University of South Australia

A University of South Australia nursing lecturer has used her own COVID-19 experience to inform research into a little-known side effect

of the virus—sudden deafness.

Kim Gibson, a [registered nurse](#) with a clinical background in [neonatal intensive care](#), has documented her experience with sudden sensorineural hearing loss (SSNHL) five weeks after testing positive to COVID-19. She was fully vaccinated.

Her findings and recommendations are published in *BMJ Case Reports*.

Gibson developed acute hearing loss in one ear, along with vertigo and tinnitus several weeks after experiencing a mild COVID-19 infection in 2022.

She was referred to an otolaryngologist who confirmed [sensorineural hearing loss](#), a little known and poorly understood side effect of COVID-19 that is not listed as a common symptom on most websites, or by GPs.

A course of oral prednisolone and betahistine was prescribed, and Gibson's hearing slowly improved over subsequent months, although she continues to experience intermittent tinnitus.

"The evidence around the short and long-term impacts of COVID-19 and vaccines is still emerging and the aim of this paper is to highlight the lesser-known side effects of the virus," Gibson says.

"We believe that clinicians should include sudden hearing loss as a potential side effect of COVID-19 when talking to patients. High-dose corticosteroids are a recommended first line of treatment for SSNHL and it is important that GPs promptly refer patients to specialists as soon as symptoms develop.

"Hearing loss and associated symptoms can have a significant impact on

a person's quality of life—they did in my case—and are closely related with anxiety and depression."

Gibson said that despite working in [health education](#), she was not aware of COVID-19 causing hearing loss.

"This was a shocking experience for me that had a significant impact on my quality of life for several months as I had never had any problems with hearing before; not even an ear infection.

"I was unable to drive a car while experiencing severe vertigo. I needed to reduce my workload, negotiate flexible working hours with my employers and take a leave of absence from study. This was all due to a mild COVID-19 infection.

"I was worried that the hearing loss would be permanent and that I would need a hearing aid. I now feel very nervous about a second COVID-19 infection. What if I experience this again, or even worse?"

According to the Royal Australian College of General Practitioners, [sudden sensorineural hearing loss](#)—also known as sudden deafness—occurs when you lose your hearing very quickly, typically only in one ear. It can happen instantly or over a span of several days. People can experience mild hearing impairment or total loss of hearing and it may be temporary or permanent.

Previous studies have linked SSNHL with COVID-19, as well as a potential side effect of COVID vaccination, but the evidence is still limited, Gibson says.

"My experience shows that even people who have a minor COVID-19 infection could be at risk of potentially permanent and debilitating long-term effects. High quality, person-centered care is so critical."

A [study](#) of [hearing loss](#) during the pandemic showed that approximately one third of patients with SSNHL were positive with COVID-19 when they were referred to an audiologist. Other [studies](#) reported an increase of SSNHL in 2020 and 2021, including among [asymptomatic people](#).

More information: Kim Gibson et al, Experience of sudden sensorineural hearing loss following a mild COVID-19 infection, *BMJ Case Reports* (2023). [DOI: 10.1136/bcr-2022-252899](https://doi.org/10.1136/bcr-2022-252899)

Provided by University of South Australia

Citation: Nurse sounds a warning on hearing loss for COVID-19 patients (2023, April 14) retrieved 19 April 2024 from <https://medicalxpress.com/news/2023-04-nurse-loss-covid-patients.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.