







Researchers discover pathway critical for lymphoma development

April 20 2023



Activation of the polyamine-hypusine circuit is a hallmark of human cancer and of MYC-driven lymphoma. A, Copy number alterations (CNA) of EIF5A and EIFA2 (left), and of DHPS and DOHH (right) across different cancer types. Abbreviations for the indicated TCGA datasets are: prostate = PRAD; Liver Hepatocellular = LIHC; Diffuse Large Bcell Lymphoma = DLBC; Uterine Carcinosarcoma = UCS; Esophageal = SCA; Ovarian serous carcinoma = OV; Colorectal = COAD; Stomach = STAD; Rectum = READ; Bladder Urothelial = BLCA; Lung adenocarcinoma = LUAD; Adrenocortical carcinoma = ACC; Acute Myeloid Leukemia = LAML; Thymoma = THYM; Sarcoma = SARC; Uterine Corpus Endometrial = UCEC; Cervical carcinoma = CESC; Pheochromocytoma and Paraganglioma = PCPG; Pancreatic adenocarcinoma = PAAD; Skin Cutaneous Melanoma = SKCM; Breast = BRCA; Lung Squamous = LUSC; Thyroid = THCA; Lower Grade Glioma = LGG; Head & Neck Squamous = HNSC; Kidney Renal Papillary = KIRP; Cholangiocarcinoma = CHOL; Glioblastoma = GBM; Kidney Chromophobe = KICH; Kidney Renal Clear Cell = KIRC; Mesothelioma = MESO; Testicular Germ Cell Tumors = TGCT; and Uveal Melanoma = UVM. B, DHPS and DOHH levels in RNA-seq datasets in 17 cancer types derived from TCGA PanCanAtlas. Significance (by Mann-Whitney test): **** p

Citation: Researchers discover pathway critical for lymphoma development (2023, April 20) retrieved 19 April 2024 from

<https://medicalxpress.com/news/2023-04-pathway-critical-lymphoma.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.