


Researchers find rhythmic brain activity helps to maintain temporary memories

April 25 2023



Credit: Pixabay/CC0 Public Domain

New research shows that rhythmic brain activity is key to temporarily maintaining important information in memory. Researchers at the Del Monte Institute for Neuroscience at the University of Rochester



published these findings today in *Current Biology* that found brain rhythms—or patterns of neuronal activity—organize the bursts of activity in the brain that maintain short-term connections.

"The thought has been that the temporary storage of important information is linked to neurons in the brain that just fire away, retaining that information until it is no longer needed. Recent research has shown that it might not be such persistent <u>brain activity</u> that matters most for the temporary storage of information, but rather a short-term strengthening of the connections between neurons that are representing the information. Our research shows that <u>brain rhythms</u> are organizing these transient bursts over time," said Ian Fiebelkorn, Ph.D., assistant professor of Neuroscience and senior author of the study.

"The rhythmic coordination of brain activity over time is important because it allows overlapping populations of neurons to store different pieces of information at the same time."

Fiebelkorn's previous research around how the brain processes external information—like when navigating Times Square in New York City—made a similar discovery. He and fellow researchers found that brain rhythms help to coordinate different functions associated with either sampling presently important information or shifting to another source of information. In this context, brain rhythms help to balance focus on the task at hand with being prepared for the unexpected.

In this new research, researchers focused on sampling internally represented (or remembered) information. Using EEG, participants looked at images with vertical or horizontal lines and were asked to remember both the line direction and the location of the image. Researchers found that the strength of the internal representations of these different images alternated over time, on a sub-second timescale, with rhythmic fluctuations in brain activity. Such coordination of brain



activity over time allows the role of some neurons to overlap without conflict.

"These rhythmic brain processes might also explain how we can stay focused while multitasking—like when trying to remember an address while driving a car," Fiebelkorn said. "Rather than simultaneously focusing on these tasks, we might be alternating between them on a subsecond timescale."

How the brain multitasks is the next step for the Fiebelkorn lab. "What happens when the <u>brain</u> has to do external and internal sampling at the same time, will we see the same sort of rhythmic temporal coordination? That is what we are working to understand next. The more we are able to learn about how these processes typically work helps us understand how these things go awry in neurological disorders."

More information: Ian C. Fiebelkorn, Rhythmic temporal coordination of neural activity prevents representational conflict during working memory, *Current Biology* (2023). DOI: 10.1016/j.cub.2023.03.088. www.cell.comcurrent-biology/fu ... 0960-9822(23)00446-3

Provided by University of Rochester Medical Center

Citation: Researchers find rhythmic brain activity helps to maintain temporary memories (2023, April 25) retrieved 23 May 2024 from https://medicalxpress.com/news/2023-04-rhythmic-brain-temporary-memories.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.