


COVID-19 vaccination reduces mortality in critically ill patients

May 23 2023



Love plot for absolute standardized differences before and after propensity score matching comparing covariate values between vaccinated and unvaccinated COVID-19, coronavirus disease 2019 (COVID-19) patients. CHD, coronary heart disease; CKD, chronic kidney disease; COPD, chronic obstructive pulmonary disease; PAD, peripheral artery disease arteriopathy; SD, standard deviation. Credit: *Journal of Medical Virology* (2023). DOI: 10.1002/jmv.28786

Previous studies have shown that the mortality rate of COVID-19 patients hospitalized and requiring oxygen therapy is similar no matter if they are vaccinated or unvaccinated.

An international research team led by David Gómez-Varela from the Department for Pharmaceutical Sciences at the University of Vienna has now disproved these findings in a comprehensive multicontinental analysis published in the *Journal of Medical Virology*: The number of deaths of hospitalized [patients](#) would have been 22% lower if all unvaccinated, oxygen-dependent individuals had been vaccinated.

Healthcare systems and economies worldwide have suffered from the COVID-19 pandemic. Vaccines are now available that can prevent hospitalizations in up to 90% of cases and reduce deaths. Nevertheless, 5% of those vaccinated also become severely ill and develop a life-threatening clinical disease. This includes systemic inflammation, lung damage and blood clotting disorders. This highly vulnerable group of patients includes the elderly, people with (multiple) pre-existing conditions, or those with weakened immune systems.

Vaccination for very vulnerable groups does not work?

Results of previous and less extensive studies showed that the mortality rate of vaccinated and unvaccinated hospitalized COVID-19 patients on [oxygen therapy](#) was almost the same. This raised doubts and fueled anti-vaccination arguments, as to whether vaccination of the aforementioned vulnerable risk groups makes sense at all. To address these concerns, the team led by David Gómez-Varela retrospectively evaluated data from more than 20,000 COVID-19 patients using statistical analyses between

January 2020 and May 2022 as part of a larger, multinational study.

Individuals from 148 hospitals from different countries and continents were included. Particular attention was paid to the special clinical characteristics of each patient group, which had not been taken into account in previous studies. Thus, it was possible to critically examine whether patients with (moderately) severe COVID-19 disease also benefit from vaccination.

Very vulnerable groups benefit from vaccination

And in fact, looking at the data adjusted for the higher burden of comorbidities and [risk factors](#), a completely different picture emerged: "22% of all deaths in hospitalized and oxygen-dependent individuals would have been preventable if all of these patients had been vaccinated," says study leader David Gómez-Varela.

The large number of patients studied and their ethnic and geographic diversity support the credibility and relevance of the results. "Our study and its results are of high relevance in that it can better inform updated vaccination schedules for many millions of people who are among the most [vulnerable groups](#)," says Gómez-Varela. "To make such important public health decisions, science-based understanding of the actual impact of the COVID 19 pandemic and vaccination coverage on mortality is of the utmost importance."

More information: Ivan A. Huespe et al, COVID-19 vaccines reduce mortality in hospitalized patients with oxygen requirements: Differences between vaccine subtypes. A multicontinental cohort study, *Journal of Medical Virology* (2023). [DOI: 10.1002/jmv.28786](https://doi.org/10.1002/jmv.28786)

Provided by University of Vienna

Citation: COVID-19 vaccination reduces mortality in critically ill patients (2023, May 23)
retrieved 25 April 2024 from

<https://medicalxpress.com/news/2023-05-covid-vaccination-mortality-critically-ill-1.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.