

Learning to save lives can start as early as age 4, according to new scientific statement

May 17 2023



Credit: Unsplash/CC0 Public Domain

Building the skills for cardiopulmonary resuscitation (CPR) can begin as

early as age 4 and layer on as children get older, so that by age 10 they may be able to perform effective chest compressions on training manikins, according to a new scientific statement from ILCOR, the American Heart Association and the European Resuscitation Council published today in the journal *Circulation*.

The writing group of resuscitation scientists from around the world reviewed more than 100 [research articles](#) about training students in CPR. The review found that [school-aged children](#) are highly motivated to learn life-saving skills and often "multiply" their training by passing on what they've learned to others.

"Training students has become a key element to increase the number of people ready to perform CPR when cardiac arrest occurs outside of a hospital, and potentially increase rates of CPR and cardiac arrest survival globally," said Bernd W. Böttiger, M.D., M.L., FAHA, chair of the statement writing group and full professor and head of the Department of Anesthesiology and Intensive Care Medicine at the University Hospital of Cologne in Cologne, Germany. "This research review aims to prompt clinicians, [policy makers](#), local school officials and the general public to take action in a cardiac emergency whenever possible."

"Given that most cardiac arrests outside of a hospital will happen at home, it's important that all members of the family understand what to do if someone has a cardiac arrest," said Comilla Sasson, M.D., Ph.D., FAHA, a member of the statement writing committee, practicing emergency medicine physician and vice president for science and innovation at the American Heart Association. "Building skills at a young age that are reinforced consistently throughout their years in school has the potential to educate generations of students and their parents on how to respond to [cardiac arrest](#), perform [chest compressions](#) and rescue breaths, use an AED and ultimately increase survival."

Cardiac arrest outside of a hospital setting is a leading cause of death worldwide . Survival rates range between 2% and 20% globally and are particularly low without immediate recognition and action from a bystander.

According to the statement, even if children are too young or small to perform an effective chest compression, they may begin learning the steps and rhythm for proper CPR and begin to learn about AEDs. Research has shown impactful results in the amplification of community preparedness as school-aged children share what they are learning with their families, friends and neighbors.

In addition to what may be done in schools, families should have a cardiac emergency response plan in place. Make a plan within the household, and practice regularly by delegating the steps below:

1. Who will call 911? Use a cell phone. Put the phone on speaker while talking with the emergency dispatcher and starting CPR.
2. Who will start CPR? Double or triple the chance of survival by performing Hands-Only CPR immediately.
3. Who will open the door? Make sure your entrance is unlocked, giving first responders easy access to your residence.

This scientific statement was prepared by the volunteer writing group on behalf of the International Liaison Committee on Resuscitation. Member organizations of the committee include the American Heart Association and the European Resuscitation Council. Scientific statements promote greater awareness about cardiovascular diseases and stroke issues and help facilitate informed health care decisions. Scientific statements outline what is currently known about a topic and what areas need additional research. While scientific statements inform the development of guidelines, they do not make treatment recommendations. American Heart Association guidelines provide the Association's official clinical

practice recommendations.

More information: Kids Save Lives: Basic Life Support Education for School Children: A Narrative Review and Scientific Statement from The International Liaison Committee on Resuscitation., *Circulation* (2023).

[DOI: 10.1161/CIR.0000000000001128](https://doi.org/10.1161/CIR.0000000000001128)

Provided by American Heart Association

Citation: Learning to save lives can start as early as age 4, according to new scientific statement (2023, May 17) retrieved 4 May 2024 from <https://medicalxpress.com/news/2023-05-early-age-scientific-statement.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--