


What is 'early intervention' for infants with signs of autism? And how valuable could it be?

May 22 2023, by Cathy Bent, Alexandra Aulich, Christos Constantine and Kristelle Hudry



Credit: AI-generated image ([disclaimer](#))

Most early support programs for autistic children (also called "early interventions") are provided after diagnosis. But long waiting times can leave families feeling stressed that they are "missing out" on critical

opportunities to support their child.

With last week's government announcement of A\$22 million for two [new pilot](#) programs, [support](#) for babies and their [parents](#) is set to become more available—and potentially ease demand for National Disability Insurance Scheme (NDIS) supports.

Our team recently consulted with more than 200 [community members](#), including autistic and non-autistic parents, clinical professionals, and researchers to understand their views on what very early supports might look like.

So what do families need to know about these types of early support and are they worth the hype?

Increasing support needs

Currently 88,617 [children](#) under seven are supported by the [NDIS](#). Some 10% of boys and 4% of girls aged five to seven access the scheme and half of all child participants are registered for autism supports.

The substantial need for services has led government to [consider other options](#) for supporting neurodivergent children. Rather than waiting until after an autism diagnosis, very early supports for [infants](#) may promote better outcomes while also taking pressure off an overloaded system.

Government interest in very early support programs has increased following [research](#) suggesting that for every \$1 invested in supporting neurodivergent infants and parents, the NDIS could save at least \$3 down the track. The Australian [study](#) modeled service costs through to children's 13th birthday.

What are autism supports for babies?

Supports provided very early in life, before a diagnosis, are sometimes called "pre-emptive interventions". The idea is that a relatively small amount of support early on can help prevent future difficulties, as families are better equipped to understand their baby's skills and needs and respond supportively.

Until now, there has been very limited support available for families before diagnosis. Several different models have been developed and trialed, but these are not widely available in the community.

Our work with the autistic community has identified key recommendations for supports for neurodivergent infants, to assist parents to make informed decisions about what is best for their child.

Because these very early programs are aimed at supporting such young babies, the work should be with the parents, rather than with the child. Supports can involve parent training and education focused on helping parents understand and support their child. Parents might learn strategies and ways of interacting that they can then use at home with their little one.

An example of this might be a clinician and parent observing an infant together and practicing noticing their communication cues, or following the infant's lead and engaging together in activities the infant is interested in (regardless of whether these are "usual" for neurotypical children).

This type of support can be valuable because neurodivergent children can communicate in different ways, and parents might need some help to understand what their baby wants and needs.

Becoming a new parent brings many changes, and insights from the autistic community indicate parents of neurodivergent children may require additional support. Many parents of [autistic children](#) may also be neurodivergent or exhibit autistic traits, including sensory sensitivity.

But this won't look the same for everyone. Supports should be tailored according to what the infant and family needs. The amount of support families need will also vary. It's got to be balanced so that children can continue to play and participate in the community without the burden of attending too many appointments.

But not all babies who show early signs of neurodivergence will be autistic. Ideally, support provided will be something that is helpful for any child. Community members told us that programs for infants should aim to foster an enriching and supportive environment around the child—promoting secure attachment and supporting infants as they grow into happy, healthy children (and adults).

Similarly, supports should not be aimed at making children appear neurotypical, trying to "fix" or eliminate autism. Rather the aim should be to promote understanding of a baby as an individual, with their own unique strengths and ways of communicating.

What does the evidence say?

This is a relatively new area of research and evidence regarding the effectiveness of supports is still emerging.

An international review of 13 studies reported [mixed outcomes](#) with supports leading to an increase in parents' use of strategies—but this only translated to an improvement in infants' communication for those who used the strategies consistently. A second review found [low to moderate quality evidence](#) overall.

An Australian clinical trial with 103 infants and parents, which some of our team were involved in, showed improvements in communication and a [positive impact](#) on developmental outcomes. This study helped inform an [initial pilot](#) of similar supports in Western Australia, and is the basis of recent [reports](#) of cost savings.

While there is promising local evidence of benefits for one model of very early support, research in this area is ongoing.

What's next?

The announcement of new pilot programs for babies showing early signs of neurodivergence creates an opportunity for much-needed further research regarding the potential benefits of these very early supports across different contexts and service models.

It will be important for policymakers to consider implementation strategies to help parents use the support strategies at home in order to maximize their benefits.

Autistic community involvement will also be essential to inform the roll out of supports if the program is expanded—to ensure they genuinely benefit those who need them.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: What is 'early intervention' for infants with signs of autism? And how valuable could it be? (2023, May 22) retrieved 27 April 2024 from <https://medicalxpress.com/news/2023-05-early-intervention-infants-autism-valuable.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.