

Mind to molecules: Does brain's electrical encoding of information 'tune' sub-cellular structure?

May 22 2023



Credit: Unsplash/CC0 Public Domain

To produce its many functions, including thought, the brain works at many scales. Information such as goals or images is represented by coordinated electrical activity among networks of neurons, while within and around each neuron a mix of proteins and other chemicals physically

carries out the mechanics of participating in the network.

A new paper by researchers at MIT, City—University of London, and Johns Hopkins University posits that the electrical fields of the network influence the physical configuration of neurons' sub-cellular components to optimize network stability and efficiency, a hypothesis the authors call "Cytoelectric Coupling."

"The information the brain is processing has a role in fine-tuning the network down to the [molecular level](#)," said Earl K. Miller, Picower Professor in The Picower Institute for Learning and Memory at MIT, who co-authored the paper in *Progress in Neurobiology* with Associate Professor Dimitris Pinotsis of MIT and City —University of London, and Professor Gene Fridman of Johns Hopkins.

"The brain adapts to a changing world," Pinotsis said. "Its proteins and molecules change too. They can have [electric charges](#) and need to catch up with neurons that process, store and transmit information using [electric signals](#). Interacting with the neurons' electric fields seems necessary."

Thinking in fields

A major focus of Miller's lab is studying how higher-level cognitive functions such as working memory can rapidly, flexibly and yet reliably emerge from the activity of millions of individual neurons. Neurons are capable of dynamically forming circuits by creating and removing connections, called synapses, as well as strengthening or weakening those junctions. But, that merely forms a "roadmap" around which information could flow, Miller said.

The specific neural circuits that collectively represent one thought or another, Miller has found, are coordinated by rhythmic activity, more

colloquially known as "brain waves" of different frequencies.

Fast "gamma" rhythms help transmit images from our vision (e.g. a muffin), while slower "beta" waves might carry our deeper thoughts about that image, (e.g. "too many calories"). Properly timed, bursts of these waves can carry predictions, enable writing in, holding onto and reading out information in [working memory](#), Miller's lab has shown. They [break down](#) when working memory does, too. The lab has reported evidence that the brain might distinctly manipulate rhythms in specific physical locations to further organize neurons for flexible cognition, a concept called "[Spatial Computing](#)."

Other recent work from the lab has shown that while the participation of individual neurons within networks may be fickle and unreliable, the information carried by the networks they are part of is stably represented by the overall [electric fields](#) generated by their collective activity.

Cytoelectric coupling

In the new study, the authors combine this model of rhythmic [electrical activity](#) coordinating [neural networks](#) with other lines of evidence that electrical fields can influence neurons at the molecular level.

Researchers, for example, have studied [ephaptic coupling](#), in which neurons influence each other's electrical properties via the proximity of their membranes, rather than solely relying on electrochemical exchanges across synapses. This electrical cross-talk can affect neural functions including when and whether they [spike](#) to relay electrical signals to other neurons in a circuit.

Miller, Pinotsis and Fridman also cite research showing other electrical influences on cells and their components including how [neural development](#) is guided by fields and that [microtubules](#) can be aligned by

them.

If the brain carries information in electric fields and those electric fields are capable of configuring neurons and other elements in the brain that form a network, then the brain is likely to use this capability. The brain can use fields to ensure the network does what it is supposed to do, the authors suggest.

To put it (loosely) in couch potato terms, the success of a television network isn't just its ability to transmit a clear signal to millions of homes. What's also important is the details as fine as the way each viewer household arranges its TV, sound system and living room furniture to maximize the experience. Both in this metaphor and in the [brain](#), Miller said, the presence of the network motivates the individual participants to configure their own infrastructure to participate optimally.

"Cytoelectric Coupling connects information at the meso- and macroscopic level down to the microscopic level of proteins that are the molecular basis of memory," the authors wrote in the paper.

The article lays out the logic inspiring Cytoelectric Coupling. "We're offering a hypothesis that anybody can test," Miller said.

More information: Dimitris A. Pinotsis et al, Cytoelectric Coupling: Electric fields sculpt neural activity and "tune" the brain's infrastructure, *Progress in Neurobiology* (2023). [DOI: 10.1016/j.pneurobio.2023.102465](https://doi.org/10.1016/j.pneurobio.2023.102465)

Provided by Massachusetts Institute of Technology

Citation: Mind to molecules: Does brain's electrical encoding of information 'tune' sub-cellular structure? (2023, May 22) retrieved 22 June 2024 from <https://medicalxpress.com/news/2023-05-mind-molecules-brain-electrical-encoding.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.