

Rural patients with diabetes experience worse health outcomes than urban patients

May 23 2023

How do the health outcomes of patients with diabetes differ in rural versus urban areas?

A retrospective study of diabetes patients in a large, multi-site health system finds that rural patients were less likely to meet five important treatment goals.



no tobacco use



A₁C levels >8%



BP >140/90



use of statins



use of aspirin

39.9% of rural patients and 43.2% of urban patients met all five D5 criteria.

Source: Foss, R. Disparities in Diabetes Care: Differences Between Rural and Urban Patients Within a Large Health System. *AnnFamMed* 2023.

ANNALS OF
FAMILY MEDICINE

Disparities in Diabetes Care: Differences Between Rural and Urban Patients Within a Large Health System. Credit: *The Annals of Family Medicine* (2023). DOI: 10.1370/afm.2962

Mayo Clinic researchers conducted a study within their health care system to identify factors associated with quality of care among rural and urban patients with diabetes.

The study evaluated patient attainment of a five-component diabetic care metric, known as the D5 metric. This metric includes no tobacco use, [hemoglobin](#) A_{1C}

Citation: Rural patients with diabetes experience worse health outcomes than urban patients (2023, May 23) retrieved 11 July 2024 from <https://medicalxpress.com/news/2023-05-rural-patients-diabetes-worse-health.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.