

Stress hormone during pregnancy may improve early language development in children

May 13 2023



Credit: Pixabay/CC0 Public Domain

High levels of the stress hormone cortisol during the third trimester of pregnancy may improve speech and language skills in the first three

years of a child's life, according to research to be presented May 13 at the 25th [European Congress of Endocrinology](#) in Istanbul. The findings help researchers further understand the role cortisol plays in both fetal and child development.

Language development during [early childhood](#) can indicate how well a baby's nervous system was developed in the womb. Prenatal exposure to cortisol—a steroid hormone that helps the body respond to stress—directs the growth of a fetus and also affects its brain development. However, the effects cortisol has on early language development remain unknown.

In this study, researchers from the Odense University Hospital analyzed data on the cortisol levels of 1,093 Danish women during their third trimester of pregnancy and on the speech and [language skills](#) of 1,093 Danish children aged 12–37 months, from the Odense Child Cohort. They found that boys exposed to high cortisol levels in the womb could say more words at ages 12–37 months, while girls were better at understanding more words at the age of 12–21 months.

"To our knowledge, this is the first study to investigate the association between maternal cortisol levels and language development in children over time, also taking offspring sex and maternal educational level into account," said Dr. Anja Fenger Dreyer, who was involved in the study.

She added, "We have had access to a large study cohort, high-quality methods of analysis and relevant covariates, making our study an important contribution to the physiological understanding of prenatal cortisol exposure in fetal maturation and [child development](#)."

The team will next assess whether children exposed to high cortisol in the womb are more likely to have higher intelligence quotient (IQ) scores. Except for the data on maternal [cortisol levels](#) and early language

development, the Odense Child Cohort also has data on intelligence tests carried out by children aged seven years old. "Early [language development](#) in children is known as a predictor for cognitive function later in life, such as attention, memory and learning, so we want to investigate whether prenatal cortisol exposure is also associated with IQ scores of children aged 7 years old," said Dr. Fenger Dreyer.

More information: The poster "Maternal cortisol levels in 3rd trimester and early language development, a study of 1,093 mother-child pairs from Odense Child Cohort" will be presented on Saturday 13 May 2023 at the European Congress of Endocrinology at the Halic Congress Center in Istanbul, Turkey. See the full scientific program [here](#).

Provided by European Society of Endocrinology

Citation: Stress hormone during pregnancy may improve early language development in children (2023, May 13) retrieved 1 May 2024 from <https://medicalxpress.com/news/2023-05-stress-hormone-pregnancy-early-language.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--