

New treatment for human parasitic worm infections shows high efficacy

May 17 2023



Male *Trichuris trichiura*. Credit: [Leonardo M. Lustosa](#)/Wikimedia Commons, CC BY-SA

Soil-transmitted helminth infections are caused by different species of parasitic worms, including whipworms, hookworms and roundworms. Worldwide, more than 1.5 billion people are infected with at least one soil-transmitted helminth, with most of the infected population living in low- and middle-income countries.

Infected people can experience symptoms like stomach pain, diarrhea and anemia, while heavy infections can lead to malnutrition, impaired growth and physical development. In severe cases, it can even cause blockages in the intestine that may require surgery.

To treat soil-transmitted helminth infections, safe drugs are available but the efficacy varies widely. The current treatments recommended by the World Health Organization (WHO) are albendazole and mebendazole. However, in the case of the whipworm *Trichuris trichiura*, a single dose of these drugs can only cure 17% of the [infected people](#) as shown in this study. Moreover, as [drug resistance](#) is on the rise, new alternative treatments are urgently needed.

All patients cured

To fill the anthelmintic [drug](#) pipeline, Swiss TPH researchers have now tested the drug emodepside for the first time in humans infected with soil-transmitted helminths in a phase IIa study.

"In this study, Emodepside showed high cure rates for all three soil-transmitted helminths," said Emmanuel Mrimi, Ph.D. candidate and first author of the study. The lowest dose tested, 5 mg of emodepside, cured

83% of people infected with whipworm. "An increase of emodepside to 15 mg resulted in complete cure of all people. Curing people infected with whipworm has never been achieved with the current anthelmintic treatments." In addition, high efficacy was also observed against roundworm and hookworm.

"The drug has also other important characteristics. It is well tolerated and most adverse events in the trial were mild," said Mrimi. The results have been published today in the *New England Journal of Medicine*.

From innovation to application

Emodepside is an anthelmintic treatment used to date in veterinary medicine. "Drug repurposing is a key strategy in research for anthelmintic drug discovery and development that is neglected and underfunded," said Jennifer Keiser, Head of the Helminth Drug Development unit, "most repurposed drugs come from veterinary medicine."

Swiss TPH already tested the drug in laboratory studies. "Based on the promising results in the laboratory, we saw the potential for treating patients infected with soil-transmitted helminths," said Jennifer Keiser. That is why the drug was taken forward. "The recent results of the clinical trials are important and good news in the field of neglected tropical diseases. No new anthelmintic has been developed in the past decades. So this is a huge milestone towards controlling and eliminating soil-transmitted helminthiasis."

Swiss TPH will now join forces with the life science company Bayer on the further development of the drug. "The aim is to have it approved for use in humans and to make it available to patients in need in the future," said Keiser.

More information: Emodepside for *Trichuris trichiura* and Hookworm Infection, *New England Journal of Medicine* (2023). [DOI: 10.1056/NEJMoa2212825](https://doi.org/10.1056/NEJMoa2212825)

Provided by Swiss Tropical and Public Health Institute

Citation: New treatment for human parasitic worm infections shows high efficacy (2023, May 17) retrieved 8 May 2024 from <https://medicalxpress.com/news/2023-05-treatment-human-parasitic-worm-infections.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--