

Do I need a booster vaccine if I recently had COVID? What if I'm not sure what I had?

June 22 2023, by Adam Wheatley and Jennifer Juno



Credit: AI-generated image ([disclaimer](#))

In early 2021, recommendations about COVID vaccines were pretty straightforward—get two doses, as soon as you are eligible. A year later, we knew getting a third dose [was important](#) for protection against the new omicron variant.

Today, though, the situation is far more complex—new updated vaccines are available, the majority of Australians have [likely been infected](#) at least once with an omicron strain, and waves of infection continue to occur.

So how should you manage and time your booster shots?

Why do vaccines need boosters?

Vaccines work by training our body's [immune system](#) to react harder, faster, stronger and better when we get infected by a pathogenic virus or bacteria.

Unfortunately, this protective benefit is not permanent and immunity tends to "wane" over time. The extent to which vaccine protection wanes is a function of two main factors.

First, your [immune system](#) (in the form of antibodies, memory B cells and T cells) is not infinite, and the levels of vaccine-induced immune responses will gradually decline over time. Second, pathogens circulating in the community can mutate, which enables "escape" from being recognized by the immune system. The more the virus escapes, the less protection the vaccine can give you.

Some vaccines need frequent boosting, others last forever

Not all pathogens have the same ability to create or tolerate mutations. For viruses that change little (such as measles), your childhood vaccines remain highly protective and you might never need a booster.

In contrast, some viruses can rapidly and dramatically change (looking at

you, influenza), quickly rendering our vaccines outdated and making updates necessary.

So, where does COVID fit in?

SARS-CoV-2, the virus that causes COVID, has demonstrated an ability to rapidly change since emerging in 2019. Although the early pandemic in Australia featured vaccine supply constraints, we now lucky to have many different vaccine options.

Recommendations currently favor updated mRNA "bivalent" boosters from Pfizer or Moderna, each containing equal parts of the original virus strain and an omicron strain.

But the virus continues to change (currently XBB strains are [dominant](#), and further updates to the composition of the vaccine are to be expected in the future ([most likely to target XBB.1.5](#))).

That's great, but I recently had COVID, so ...

Are you sure? Queuing for a PCR test seems like a fever dream from the past. Now, many of the RATs stacked in our cupboards are rapidly expiring. Influenza and RSV are [back with gusto](#) (and cause similar symptoms).

If you did have confirmed COVID, [our research](#) shows the majority of people mount a [strong immune response](#) following each infection.

This means that once you recover, your immunity has been "updated" to reflect the [virus](#) variant that caused your infection and you will have higher protective antibody levels in your blood.

Well, I definitely had something. What does that mean for my COVID booster?

There are a couple of things to consider here.

Firstly, there is no such thing as "too much" immunity. Beyond the regular [side-effects of a vaccine](#), there are no known additional risks to being re-vaccinated soon after an infection.

On the other hand, getting vaccinated quickly after recovery will not do much to further boost your immunity. [Current recommendations](#) are to wait six months after infection or your last dose before seeking another booster.

This allows your immune system time to rest, so that it can be effectively re-activated by vaccination. If you'd prefer to minimize your risk of COVID, and you don't know what caused a recent illness, "[topping up](#)" your immunity via a booster may be the way to go.

How should we balance booster shots and infections in the community?

The short answer is, we need more information and time to figure that out.

Our communities now have high immunity (from both vaccines and infections), so balancing the risks and rewards of COVID boosters is increasingly complex.

Ultimately, your personal health care provider is best placed to offer specific advice. Generally however, those who are vaccinated (with three or more doses), younger (64 and under), and otherwise healthy have the

least to gain.

For those who are older (especially over 65s) or who have [health complications](#), regular COVID boosters are likely to be an important tool for staying healthy, especially over the winter season. While we still need more data, [multiple studies](#) suggest [booster](#) vaccines can [reduce the risk](#) of developing long COVID, providing another reason to keep up-to-date.

The bottom line

Unfortunately, COVID is among us and likely here for good. But like old mate influenza, we now have effective tools to blunt the impacts of COVID, and even better options will come through the pipeline to unlock further health improvements (like the transformative [new vaccines for RSV](#)).

For now, stay tuned to the latest [advice from the Australian Technical Advisory Group on Immunization](#) (ATAGI) about additional [vaccine](#) boosters and rest assured scientists and public health officials are still working to better understand how best to maintain high levels of population immunity via regular immunization.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: Do I need a booster vaccine if I recently had COVID? What if I'm not sure what I had? (2023, June 22) retrieved 28 April 2024 from <https://medicalxpress.com/news/2023-06-booster-vaccine-covid-im.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.