

Incomplete imaging for transient ischemic attack emergencies found to increase stroke risk

June 8 2023



Credit: Unsplash/CC0 Public Domain

According to a study published in *American Journal of Roentgenology* (*AJR*), transient ischemic attack (TIA) emergency department (ED)



encounters with incomplete neurovascular imaging were associated with higher odds of subsequent stroke within 90 days.

"Increased access to urgent neurovascular imaging in patients with TIA may represent a target that could facilitate detection and treatment of modifiable stroke <u>risk factors</u>," wrote first author Vincent M. Timpone, MD, from the department of radiology at the University of Colorado Hospital in Aurora.

Timpone et al. studied data from the 2016–2017 Medicare Standard Analytical Files, which contain 100% sample claims for Medicare beneficiaries. Information was extracted via ICD-10 and CPT codes. Patients discharged from an ED encounter with a TIA diagnosis—who also underwent brain CT or brain MRI during or within 2 days of said encounter—were then identified. Patients were deemed to have complete neurovascular imaging if undergoing cross-sectional vascular imaging of both the brain (brain CTA or MRA) and neck (neck CTA or MRA or carotid ultrasound) during or within 2 days of their encounter.

Ultimately, a total of 37.3% (69,825/111,417) of TIA ED encounters nationally showed associations with a complete neurovascular imaging workup. Adjusting for patient and hospital characteristics, an incomplete neurovascular imaging workup was associated with increased likelihood of stroke within 90 days of the encounter (OR 1.3 [95% CI: 1.23-1.38]).

"To ensure that risk factors for stroke can be identified and treated," the researchers reiterated, "<u>patients</u> with TIA should have improved access to timely neurovascular imaging."

More information: Vincent M. Timpone et al, Association of Incomplete Neurovascular Imaging After Emergency Department Encounters for Transient Ischemic Attack and Odds of Subsequent Stroke: A National Medicare Analysis, *American Journal of*



Roentgenology (2023). DOI: 10.2214/AJR.23.29352

Provided by American Roentgen Ray Society

Citation: Incomplete imaging for transient ischemic attack emergencies found to increase stroke risk (2023, June 8) retrieved 26 June 2024 from https://medicalxpress.com/news/2023-06-incomplete-imaging-transient-ischemicemergencies.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.