

No need to avoid exercise after prolapse surgery, study finds

June 2 2023, by Cara Murez



It may not be necessary for people who have prolapse surgery for pelvic

floor disorders to wait to get started exercising again.

A new study challenges standard restrictions, finding that those who resume exercising soon after the procedure do just as well as those who wait several weeks.

"This study is a [paradigm shift](#) for urogynecologists—it is practice changing," said senior study author Dr. Matthew Barber, chair of obstetrics and gynecology at Duke University School of Medicine in Durham, N.C.

"For decades, surgeons have been instructing patients to avoid activity after [reconstructive surgery](#), and we now know that is unnecessary," Barber said in a Duke news release.

"The findings of this study are consistent with trials in other fields, like orthopedics and hernia [surgery](#), which have shown that early activity doesn't impede outcomes and may improve them in some circumstances," Barber said.

While not life-threatening, a pelvic floor disorder can cause discomfort and pain. It occurs when one of the [pelvic organs](#) drops down, creating a bulge in the vagina. This organ can be the uterus, bowel or bladder.

Sometimes pelvic floor exercises are enough to treat the problem, but oftentimes surgery is needed.

To study [guidelines](#) on post-surgical restrictions, researchers randomly assigned 108 women to two groups. One group followed the standard advice to avoid lifting more than 10 pounds for six weeks and to not return to work for two to six weeks. The other group had no lifting or activity restrictions and were permitted to return to work as soon as they were able.

The researchers found no statistically significant differences in anatomic and symptomatic issues among the two groups after three months.

The study results were published online May 31 in *JAMA Surgery*.

More information: The U.S. National Institutes of Health has more on [pelvic floor disorders](#).

Michele O'Shea et al, Standard Restrictions vs Expedited Activity After Pelvic Organ Prolapse Surgery, *JAMA Surgery* (2023). [DOI: 10.1001/jamasurg.2023.1649](#)

Copyright © 2023 [HealthDay](#). All rights reserved.

Citation: No need to avoid exercise after prolapse surgery, study finds (2023, June 2) retrieved 11 May 2024 from <https://medicalxpress.com/news/2023-06-prolapse-surgery.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.