

# Sore joints? It's tempting to be less active—but doing more could help you feel better

June 14 2023, by Charlotte Ganderton, Inge Gnatt and Matthew King



Credit: AI-generated image (disclaimer)

One in three Australians has a musculoskeletal condition involving joint pain, and the most common cause is arthritis. Around <u>3.6 million</u> Australians have arthritis and this is projected to rise to <u>5.4 million by 2030</u>.



For some people with joint pain, <u>cold weather seems to make it worse</u>. But temperature <u>is just one factor</u> impacting perceptions of <u>greater pain</u> during winter. Other factors include those we have some level of influence over, including <u>sleep</u>, <u>behavioral patterns</u>, <u>mood</u> and <u>physical activity</u>. Emerging research suggests greater pain levels in winter may also be related to a person's <u>perception of the weather</u>, lack of <u>vitamin D</u> and <u>fluctuations in their disease</u>.

<u>Physical activity</u> is one of the best treatments to increase function, strength and mobility—and improve quality of life. It also <u>promotes</u> mental and <u>physical health</u> and <u>reduces the risk</u> of other chronic diseases.

But pain can be a barrier to exercise and activities you'd usually do. So what can you do about it?

# Our brain tries to protect us

When it comes to pain, our <u>brain</u> is very protective: it's like an inbuilt alarm system and can warn us about impending danger or harm that has occurred so we can respond.

But it's not always a reliable indicator of actual damage or trauma to the skin, muscle or bone, even when it feels like it is. In some instances, this warning system can become unhelpful by setting off "false alarms".

Joint pain and stiffness can also appear to worsen during colder weather, prompting <u>fears</u> we could <u>make it worse</u> if we undertake or overdo movement. This <u>can result in</u> people avoiding physical activity—even when it would be beneficial—which can worsen the pain.

### We tend to exercise less when it's cold



Seasons <u>affect</u> how much physical activity we get. Summer months bring <u>warmer weather</u>, longer daylight hours and people get outdoors more. Warmer weather also tends to elicit a <u>positive outlook</u>, a lift in mood and burst of physical activity to fulfill New Year's resolutions.

Cooler months can mean a decline in <u>physical activity</u> and more time being cozy indoors. A reduction in movement and less exposure to light may evoke higher levels of <u>joint pain</u> and can be associated with a reduction in our overall sense of well-being and mood.

This can create a cycle where symptoms worsen over time.

But with the right knowledge and support, people <u>can remain engaged in</u> <u>an active lifestyle</u> especially when it's aligned to <u>personal values</u> and goals. Health professionals such as physiotherapists and GPs can assess any concerns and provide strategies that are right for you.

## How to motivate yourself to stay active in winter

When looking for an approach to help you stay active during the cooler months and beyond, it can be helpful to become aware of the many <u>interconnected factors</u> that impact you. They include:

- biological (your genes, other illnesses you have)
- psychological (how you think, feel and behave)
- social (your relationships and <u>social support</u>).

Starting with the end goal in mind can be beneficial, but this can feel overwhelming. Try creating smaller, achievable steps to help get you there, like climbing a ladder. For example, park a short distance from the shops and increase this incrementally to increase your exercise tolerance.



A little bit each day can often be less tolling on your body than a big effort once a week.

Create goals that are personally meaningful and encourage you to celebrate success along the way (for example, catching up with friends or a healthy snack). Then, as you climb your "ladder", one rung at a time, you will likely feel more motivated to continue.

If you're not sure where to start, talk to a friend or health provider to help you determine what is realistic and right for your situation. That way you can work towards your goals in a safe, non-threatening environment and avoid developing fear and avoidance. They can also help you establish goals that align with your aspirations and pain experience.

This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>.

### Provided by The Conversation

Citation: Sore joints? It's tempting to be less active—but doing more could help you feel better (2023, June 14) retrieved 28 April 2024 from <a href="https://medicalxpress.com/news/2023-06-sore-joints-activebut.html">https://medicalxpress.com/news/2023-06-sore-joints-activebut.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.