


# AI finds a way to people's hearts: New model classifies cardiac functions and pinpoints valvular heart disease

July 6 2023

---



Left: Chest radiograph Right: Visualization of the grounds for the AI's judgment.  
Credit: Daiju Ueda, OMU

AI (artificial intelligence) may sound like a cold robotic system, but Osaka Metropolitan University scientists have shown that it can deliver heartwarming—or, more to the point, "heart-warning"—support. They unveiled an innovative use of AI that classifies cardiac functions and pinpoints valvular heart disease with unprecedented accuracy,

demonstrating continued progress in merging the fields of medicine and technology to advance patient care. The results will be published in *The Lancet Digital Health*.

Valvular heart disease, one cause of heart failure, is often diagnosed using echocardiography. This technique, however, requires specialized skills, so there is a corresponding shortage of qualified technicians. Meanwhile, chest radiography is one of the most common tests to identify diseases, primarily of the lungs. Even though the heart is also visible in chest radiographs, little was known heretofore about the ability of chest radiographs to detect cardiac function or disease.

Chest radiographs, or chest X-Rays, are performed in many hospitals and very little time is required to conduct them, making them highly accessible and reproducible. Accordingly, the research team led by Dr. Daiju Ueda, from the Department of Diagnostic and Interventional Radiology at the Graduate School of Medicine of Osaka Metropolitan University, reckoned that if cardiac function and disease could be determined from chest radiographs, this test could serve as a supplement to echocardiography.

Dr. Ueda's team successfully developed a model that utilizes AI to accurately classify cardiac functions and valvular heart diseases from chest radiographs. Since AI trained on a single dataset faces potential bias, leading to low accuracy, the team aimed for multi-institutional data.

Accordingly, a total of 22,551 chest radiographs associated with 22,551 echocardiograms were collected from 16,946 patients at four facilities between 2013 and 2021. With the [chest](#) radiographs set as input data and the echocardiograms set as output data, the AI model was trained to learn features connecting both datasets.

The AI model was able to categorize precisely six selected types of

[valvular heart disease](#), with the Area Under the Curve, or AUC, ranging from 0.83 to 0.92. (AUC is a rating index that indicates the capability of an AI model and uses a value range from 0 to 1, with the closer to 1, the better.) The AUC was 0.92 at a 40% cut-off for detecting left ventricular ejection fraction—an important measure for monitoring [cardiac function](#)

"It took us a very long time to get to these results, but I believe this is significant research," stated Dr. Ueda. "In addition to improving the efficiency of doctors' diagnoses, the system might also be used in areas where there are no specialists, in night-time emergencies, and for patients who have difficulty undergoing echocardiography."

**More information:** Daiju Ueda et al, Artificial Intelligence-based Model to Classify Cardiac Functions from Chest Radiographs: Multi-institutional Model Development and Validation Study, *The Lancet Digital Health* (2023). DOI: [10.1016/S2589-7500\(23\)00107-3](https://doi.org/10.1016/S2589-7500(23)00107-3). [www.thelancet.com/journals/lan ... \(23\)00107-3/fulltext](https://www.thelancet.com/journals/lan.../fulltext)

Provided by Osaka Metropolitan University

Citation: AI finds a way to people's hearts: New model classifies cardiac functions and pinpoints valvular heart disease (2023, July 6) retrieved 2 May 2024 from <https://medicalxpress.com/news/2023-07-ai-people-hearts-cardiac-functions.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.