


# Research leads way in preventing disease outbreaks in urban areas

July 17 2023



Approach to developing multilayer TPNs that link wildlife, livestock, and human populations across Nairobi by sharing of *E. coli*-borne MGEs. (A) Bipartite network linking animal and human host compartments with their MGE communities. (B–D) Pairwise comparisons of shared MGEs, grouped by the putative epidemiological role of each host group within a multispecies framework for urban disease emergence. For each member of taxoni, a matrix of shared MGEs was created with all individuals of taxonj and used to generate a bipartite network. Each bipartite network was projected to a weighted unipartite network (multilayer transmission potential network—mTPN). (E) This effectively nested each member of taxoni within an mTPN including all members of taxonj and enabled us to compare the relative importance of individual hosts in sharing bacterial genes across taxonomic interfaces. (F)

Centrality and distance-based network statistics that best captured pairwise sharing of MGEs between each individual and all other wildlife hosts within each mTPN, were then used to represent transmission potential for each individual host. Credit: *Proceedings of the National Academy of Sciences* (2023). DOI: 10.1073/pnas.2218860120

A new paper sets out key research done by scientists at the University of Liverpool with partners to show that disease may be more likely to jump from animals to humans in parts of a city hosting high densities of people, livestock and urban-adapted wildlife such as rats. The paper, "Epidemiological connectivity between humans and animals across an urban landscape," is published in *Proceedings of the National Academy of Sciences*.

The study, conducted in the fast-growing capital city of Nairobi, Kenya, shows risk areas tend to be [lower income](#) with a lack of adequate sanitation and waste management as well as lower levels of biodiversity. The long-term study is among the first to unequivocally answer questions of where and how disease transmission and emergence occurs in urban settings.

Significantly the paper suggests public health recommendations, including places to prioritize disease surveillance, improve access to basic healthcare and explore targeted disease control measures.

Conducted from 2013–2017, it was led by Professor Eric Fèvre, Chair of Veterinary Infectious Diseases at the University of Liverpool and the then Ph.D. student at the University of Liverpool, Dr. James Hassell in collaboration with Kenyan partners. Dr. Hassell is now a wildlife veterinarian and epidemiologist for the Smithsonian's National Zoo and Conservation Biology Institute (NZCBI)'s Global Health Program.

The study's findings were based on [genetic relationships](#) between E. coli bacteria collected from a group of more than 2,000 people, livestock and urban wildlife from 33 locations across Nairobi.

E. coli bacteria have some genes, called mobile genetic elements, that carry traits like [drug resistance](#) and can be transferred to other E. coli nearby. This allowed investigators to infer the same kind of close physical proximity between any E. coli that shared many of the same mobile genetic elements.

Dr. James Hassell said, "This genetic similarity is a good proxy for disease transmission potential between two hosts. We can't know if the bacteria were transferred from human to animal or animal to human, but it tells us something important about the epidemiological connection between them.

"In these high population density areas, people and animals are really closely connected from a potential disease transmission standpoint. These are the places where the ingredients are there for emerging pathogens to jump from animals to humans, and places where it would be easy for those pathogens to multiply before being detected. This means these places are also where it makes sense to prioritize access to healthcare and disease surveillance."

Comparing the E. coli bacteria collected from people, wildlife and livestock across Nairobi allowed the scientists to map parts of the city that featured the most overlap in these bacterial genes and, ultimately, identify these areas as key battlefronts for emerging diseases.

Though the results apply directly to Nairobi, Kenya city is emblematic of many cities in the tropics experiencing what researchers' term rapid, unplanned urbanization. When cities grow extremely fast without meaningful urban planning they are often missing basic infrastructure

such as adequate sanitation or waste management systems, especially in low-income neighborhoods.

Combine these conditions with [high population densities](#) and large numbers of residents still relying on livestock to support their families, and opportunities for diseases to jump from animals to humans abound.

Follow-up research is currently trying to gather even more information on the mechanisms of [disease transmission](#) in Nairobi by placing tracking devices on livestock, bats and birds from many of the same households surveyed in the current study. The study will use GPS tracking as well as devices called proximity loggers that record when two animals wearing the devices get closer than half-a-foot from one another to build contact networks.

Kenyan partner organizations that contributed to this study and ongoing collaborative research include the International Livestock Research Institute, the University of Nairobi, Kenya Medical Research Institute, National Museums of Kenya and Kenya Wildlife Service.

Additional partners in this study and paper included the University of Edinburgh, University of Minnesota, University of Oxford, University of Southampton, Hokkaido University Columbia University, University of Milan and Food and Agriculture Organization of the United Nations.

**More information:** James M. Hassell et al, Epidemiological connectivity between humans and animals across an urban landscape, *Proceedings of the National Academy of Sciences* (2023). [DOI: 10.1073/pnas.2218860120](https://doi.org/10.1073/pnas.2218860120)

Provided by University of Liverpool

Citation: Research leads way in preventing disease outbreaks in urban areas (2023, July 17)  
retrieved 29 April 2024 from  
<https://medicalxpress.com/news/2023-07-disease-outbreaks-urban-areas.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.