

## Fly toolkit created for investigating COVID-19 infection mechanisms

July 21 2023





3-D rendering of cells in the salivary gland expressing the SARS-CoV2 protein NSP8 showing the abnormal accumulation of actin in ring-like structures (green staining). Similar actin rings have been observed in human cells infected with the SARS-CoV2 virus. Credit: Daniel Bressan

Millions of deaths and ongoing illnesses caused by the COVID-19 pandemic have prompted scientists to seek new ways of understanding how viruses so skillfully enter and reprogram human cells. Urgent innovations leading to the development of new therapies are needed since virologists predict that future deadly viruses and pandemics may again emerge from the coronavirus family.

One approach to developing new treatments for such coronaviruses, including the SARS-CoV-2 <u>virus</u> that causes COVID-19, is to block the mechanisms by which the virus reprograms our <u>cells</u> and forces them to produce more <u>viral particles</u>. But studies have identified nearly 1,000 human proteins that have the potential to bind with <u>viral proteins</u>, creating overwhelming challenges in identifying which of the many possible interactions are most relevant to infection.

A multi-institutional collaboration has now developed a toolkit in <u>fruit</u> <u>flies</u> (Drosophila) to sort through the pile of possibilities. The new Drosophila COVID Resource (DCR) provides a shortcut for assessing key SARS-CoV-2 genes and understanding how they interact with candidate human proteins.

The study, published in *Cell Reports*, was led by Annabel Guichard and Ethan Bier of the University of California San Diego and Shenzhao Lu, Oguz Kanca, Shinya Yamamoto and Hugo Bellen of the Baylor College of Medicine and Texas Children's Hospital.



"A defining feature of viruses is their ability to rapidly evolve—a characteristic that has proven particularly challenging in controlling the SARS-CoV-2 virus," said Bier a professor in the UC San Diego School of Biological Sciences. "We envision that this new resource will offer researchers the ability to quickly assess the functional effects of factors produced by this once-in-a century pathogen as well as future naturally occurring variants."

The researchers designed the DCR as a versatile discovery system. It features an array of fruit fly lines that produce each of the 29 known SARS-CoV-2 proteins and more than 230 of their key human targets. The resource also offers more than 300 fly strains for analyzing the function of counterparts to human viral targets.

"By harnessing the powerful genetic tools available in the fruit fly model system, we have created a large collection of reagents that will be freely available to all researchers," Bellen said. "We hope these tools will aid in the systematic global analysis of *in vivo* interactions between the SARS-CoV-2 virus and <u>human cells</u> at the molecular, tissue and organ level and help in the development of new therapeutic strategies to meet current and future health challenges that may arise from the SARS-CoV-2 virus and related family members."

As they tested and analyzed the potential of the DCR, the researchers found that nine out of 10 SARS-CoV-2 proteins known as non-structural proteins (NSPs) they expressed in flies resulted in wing defects in adult flies. These defects can serve as a basis to understand how the viral proteins affect host proteins to disrupt or reorient essential cellular processes to benefit the virus.

They also made an intriguing observation: one of these viral proteins, known as NSP8, functions as a type of hub, coordinating with other NSPs in a mutually reinforcing manner. NSP8 also strongly interacted



with five of the 24 human binding candidate proteins, the researchers noted. They discovered that the human protein that exhibited the strongest interactions with NSP8 was an enzyme known as arginyltransferase 1, or "ATE1."

"ATE1 adds the amino acid arginine to other proteins to alter their functions," said Guichard. "One such target of ATE1 is actin, a key cytoskeletal <u>protein</u> that is present in all of our cells." Guichard noted that the researchers found much higher levels of arginine-modified actin than normal in fly cells when NSP8 and ATE1 were produced together. "Intriguingly, abnormal ring-like structures coated with actin formed in these fly cells," she said, "and these were reminiscent of similar structures observed in human cells infected with the SARS-CoV-2 virus."

However, when flies were given drugs that inhibit the activity of the human ATE1 enzyme, the effects of NSP8 were considerably reduced, offering a path to promising new therapeutics.

Calling their method a "fly-to-bedside" resource, the researchers say these initial results are just the tip of the iceberg for drug screening. Eight of the other NSPs they tested also produced distinctive phenotypes, laying the groundwork for pinpointing other new drug candidates.

"In several cases, identification of new candidate drugs targeting functionally important viral-human interactions might prove valuable in combination with existing anti-viral formulations such as Paxlovid," said Bier. "These new discoveries may also provide clues to the causes of various long-COVID symptoms and strategies for future treatments."

**More information:** Annabel Guichard et al, A comprehensive Drosophila resource to identify key functional interactions between



## SARS-CoV-2 factors and host proteins, *Cell Reports* (2023). DOI: 10.1016/j.celrep.2023.112842

## Provided by University of California - San Diego

Citation: Fly toolkit created for investigating COVID-19 infection mechanisms (2023, July 21) retrieved 12 May 2024 from <u>https://medicalxpress.com/news/2023-07-fly-toolkit-covid-infection-mechanisms.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.