


# Researchers discover neurons that track and regulate blood sugar levels

July 10 2023

---



Credit: Pixabay/CC0 Public Domain

New research has discovered neurons within the brain that detect and respond to changes in the level of sugar within the bloodstream.

Understanding how this blood sugar detection system works and how these neurocircuits operate would give researchers and doctors greater insights into how our brains regulate our blood sugar, and perhaps, how

to target them therapeutically to treat metabolic diseases like [diabetes](#) and obesity, according to the study authors.

The study was published June 22 online in *Diabetes*.

"We've known for a long time that many neurons can detect sugar locally within the brain," said Dr. Michael Schwartz, an endocrinologist with the University of Washington School of Medicine and co-director of the UW Medicine Diabetes Institute. "What is new, however, is the evidence that a subset of neurons located in the [hypothalamus](#) can sense and respond to sugar in the bloodstream itself, analogous to the cells in the pancreas that secrete insulin."

In this study, researchers were able to monitor both blood sugar levels and the activity of neurons within the hypothalamus of conscious mice in real time. They found that when blood sugar levels rise, the activity of this subset of neurons decreases rapidly. Researchers speculate that these neurons detect and respond to variation in blood sugar transmitted by sensory [neurons](#) that supply the vasculature (rather than sugar levels in the brain, which change much more slowly), Schwartz noted. This sensory information is then transmitted to one or more neurocircuits that control the blood sugar level in conjunction with the pancreas, which produces [insulin](#) for the body.

Clinically, this is important because when treating patients with diabetes, clinicians often find that the patients' system is actively maintaining an elevated blood sugar level, presumably "because that's where the brain thinks the blood sugar level is supposed to be," Schwartz said.

"For example, if a normal blood sugar is 100, a patient with diabetes may well have a blood sugar above 300," he said. "If it's been at that elevated level for days or weeks, and if you suddenly lower it back to 100, the brain will think that's too low, and will try to increase blood

sugar level again."

This evidence that diabetes is associated with an impaired ability of the brain to sense the blood sugar level suggests that in the future, reversing this type of sensing defect may allow the brain to control [blood sugar](#) in a more appropriate way, Schwartz concluded.

**More information:** Jennifer D. Deem et al, Identification of Hypothalamic Glucoregulatory Neurons That Sense and Respond to Changes in Glycemia, *Diabetes* (2023). [DOI: 10.2337/db23-0139](https://doi.org/10.2337/db23-0139)

Provided by University of Washington School of Medicine

Citation: Researchers discover neurons that track and regulate blood sugar levels (2023, July 10) retrieved 2 May 2024 from <https://medicalxpress.com/news/2023-07-neurons-track-blood-sugar.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--