

Scientists identify neurons involved in correcting errors during spatial navigation

July 19 2023



Credit: Pixabay/CC0 Public Domain

During routine navigation in daily life, our brains use spatial mapping and memory to guide us from point A to point B. Just as routine is making a mistake in navigation that requires a course correction.

Now, researchers at Harvard Medical School have identified a specific group of neurons in a <u>brain</u> region involved in <u>navigation</u> that undergo



bursts of activity when <u>mice</u> running a maze veer off course and correct their error.

The findings, published July 19 in *Nature*, bring scientists a step closer to understanding how navigation works, while raising new questions. These questions include the specific role these neurons play during navigation, and what they are doing in other brain regions where they are found.

"Navigation has been studied a lot but, to our knowledge, this is the first time we've identified this type of error-correction signal," said senior author Christopher Harvey, associate professor of neurobiology in the Blavatnik Institute at HMS. "I think this study adds a new direction where we can go with navigation research."

Making a course correction

To understand navigation, the Harvey lab has been studying the <u>posterior</u> <u>parietal cortex</u>, a region near the back of the brain involved in spatial reasoning, as well as learning and planning movements. The cells that make up that region, the team said, have largely remained a black box.

"There are all these different cell types in that area, but when we started this project, we didn't know much about what these cell types might be doing," explained lead author Jonathan Green, a research fellow in neurobiology at HMS.

Elucidating the roles of these different cells is essential for understanding how they work together to form the neural circuit that powers navigation in that brain region.

To interrogate the cell types in the posterior parietal cortex, Green and Harvey turned to colleague and study co-author Michael Greenberg, the HMS Nathan Marsh Pusey Professor of Neurobiology. They borrowed a



tool developed in his lab that allows scientists to label cell types in a more precise way. The researchers used a viral capsule to inject a generegulatory element into the posterior parietal cortex, which induced a subtype of neurons to express a blue fluorescent protein. In this way, the researchers selectively tagged these neurons to monitor their activity.

With the neurons labeled, the team used an experimental technique developed in the Harvey lab that involves placing mice in a <u>virtual reality</u> <u>maze</u>: A mouse runs on a ball, while a large surround screen displays a spatial navigation task. In this case, the task was moving through a T-shaped maze to find a reward at one end. As the mouse performed the task, the researchers recorded neural activity in the posterior parietal cortex.

The researchers found that when a mouse made and corrected a mistake while navigating, the subtype of neurons became active. This held true even when they guided the mouse to err, either by rotating the maze or changing the color cues. However, if the mouse didn't make a mistake, or made a mistake but didn't correct it, the neurons didn't fire.

When the neurons became active, they did so in unison, prompting a follow-up experiment in which the researchers stimulated the cells with light. They found that the neurons are essentially hardwired to each other, meaning that the electrical current telling them to fire can flow directly from one cell to the next.

"These neurons were all activating together right at these moments when the mouse deviated from its route and had to correct back to get the reward, which we think means they could be really important for the learning or correction of navigational routes," Harvey said.

A broader signal?



The findings provide tantalizing evidence that this subset of neurons play an essential role in helping the brain correct navigational errors, but the researchers are eager to delve into the how and why.

Harvey is interested in whether this error-correction signal aids the brain in learning navigational routes—something he calls "a missing piece of the puzzle for how navigation happens." To explore this idea, the researchers are doing experiments in which they disrupt the activity of the neurons, and see how the mouse's navigational ability is affected.

"We want to find out if this signal is involved in driving corrections on a moment-to-moment basis, or if it is acting on a longer time scale by helping the circuit learn the correct actions over time," Green said.

Although the study was done in mice, Green noted that humans have an analogous cell type, so "this error-correction signal that we see in mice could actually be quite relevant to what is happening in our brain." However, more research is needed to confirm whether this is the case.

Interestingly, this subtype of neurons are also present in other brain regions that are heavily involved in navigation, as well as in the visual cortex and the hippocampus, the epicenter of learning and memory. Thus, Green would like to investigate what the neurons are doing in these other regions to understand whether they play a broader role in error correction and learning.

The researchers also plan to apply their experimental approach to other subsets of neurons in the posterior parietal cortex—many of which are also present across multiple <u>brain regions</u>—in the hopes of identifying more <u>cell types</u> with specific functions.

"If we can understand what all these subsets of neurons are doing in different brain areas, the hope is that we can get at some generalized



functions for the cells that move us closer to understanding how this <u>neural circuit</u>, which is replicated across brain areas, works," Green said.

Additional authors on the paper include Carissa Bruno, Lisa Traunmüller, Jennifer Ding, Siniša Hrvatin, Daniel Wilson, Thomas Khodadad, and Jonathan Samuels of HMS.

More information: Christopher Harvey, A cell type specific error correction in signal posterior parietal cortexA cell type specific error correction in signal posterior parietal cortex, *Nature* (2023). DOI: 10.1038/s41586-023-06357-1. www.nature.com/articles/s41586-023-06357-1

Provided by Harvard Medical School

Citation: Scientists identify neurons involved in correcting errors during spatial navigation (2023, July 19) retrieved 21 May 2024 from <u>https://medicalxpress.com/news/2023-07-scientists-neurons-involved-errors-spatial.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.