


Three doses of COVID-19 vaccine leads to catch-up antibody responses among the particularly vulnerable, finds study

August 1 2023



Antibody response to COVID-19 mRNA vaccination with and without COVID-19 during the study period. Scatter plots with mean and 95% confidence interval demonstrating logarithmic IgG antibody levels in serum against the receptor-binding domain (RBD) within spike-1 (S1) among patients with liver disease with (A) or without cirrhosis (B; autoimmune hepatitis) as well as allogeneic hematopoietic stem-cell transplantation recipients (C) and healthy



controls (D). Patients are stratified as to whether they acquired a SARS-CoV-2 Omicron subvariant infection following the second vaccine dose (i.e. developed hybrid immunity (HI), open circles) or not (i.e. only vaccine-induced immunity (VII), gray filled circles for those receiving 3 and black filled circles for those receiving 4 vaccine doses). The dotted line represents the limit of detection of the assay (i.e. 14 BAU/mL). Statistics were calculated by unpaired t-test with Welch's correction (*p

Citation: Three doses of COVID-19 vaccine leads to catch-up antibody responses among the particularly vulnerable, finds study (2023, August 1) retrieved 12 May 2024 from https://medicalxpress.com/news/2023-08-doses-covid-vaccine-catch-up-antibody.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.