

Novel study shows greater metabolic response to animal versus plant proteins in young and older adults

August 15 2023



Grilled Pork Chop. Credit: Added by Marleena Jones Auditor Kary Nieuwenhuis
Copyright © 2023 National Pork Board Des Moines Iowa USA

Protein from two ounce-equivalents (oz-eq) of animal-based protein foods provides greater essential amino acids (EAA) bioavailability than an equal two oz-eq of plant-based protein foods, according to scientists at Purdue University.

The protein quality of a [food](#) or meal (i.e., the EAA content of a meal) is a major factor in determining how the body can use amino acids for muscle and whole-body protein building.

The Dietary Guidelines for Americans (DGAs) puts an emphasis on consuming a variety of protein foods based on ounce-equivalent portions with similar nutritional content. One oz-eq equals one ounce of meat, one whole egg, 0.25 cups of beans or 0.5 ounces of nuts.

"The basis for the DGAs stating that these protein foods are 'equivalent' and have 'similar nutritional content' is unclear," suggests Dr. Wayne Campbell, primary investigator on this study and professor in the Department of Nutrition Science at Purdue University.

Protein foods differ in their energy and nutrient content, including protein quantity and quality, he adds. Additionally, there is [limited information](#) on how eating oz-eq amounts of protein foods from different sources as part of a mixed meal impacts the body's ability to digest and use protein.

This includes within populations that may be vulnerable to a lack of

variety in their protein choices, like younger adults, and who may be under consuming high-quality sources of nutrient-dense protein despite greater nutrient needs, such as older adults.

Therefore, scientists sought to test if eating two oz-eq portions of animal-based versus plant-based protein foods as part of a mixed whole foods meal differently impacted EAA bioavailability for protein building in these populations.

Study overview

Two cross-over randomized controlled trials were performed on 30 otherwise healthy young adults and 25 older adults. Each study participant completed four separate 300-minute trials, with each trial separated by a minimum of three days.

The study investigators were blinded to the order the participants completed their protein foods assignments until all participants finished their testing and results were analyzed.

During trial periods, study participants reported to the clinic to eat a standardized meal with two oz-eq of either animal-based protein foods (e.g., unprocessed lean pork loin, scrambled whole eggs) or plant-based protein foods (black beans, raw sliced almonds).

Blood samples were taken at baseline and 30, 60, 120, 180, 240, and 300 minutes after eating to determine EAA bioavailability as well as blood sugar and insulin levels.

Results at a glance

"In line with our hypothesis before starting this study, consuming meals

with two oz-eq of animal-based protein foods resulted in more EAAs in the bloodstream compared to meals with two oz-eq of plant-based protein foods in both young and older adults, separately and combined," explains Dr. Gavin Connolly, clinical trials project manager and research associate in the Department of Nutrition Science at Purdue University. Also, there were no differences in EAA bioavailability between young and older adults, he adds.

This means animal-based proteins (from unprocessed lean pork loin and scrambled eggs) more effectively provide EAAs, which is linked with the ability for our bodies to build body protein or muscle, notes Dr. Connolly. "This is an important consideration for muscle and whole-body health and physical function across the life course," he suggests.

Additional findings from this study include:

- Lean pork resulted in greater EAA bioavailability than eggs in young adults or older adults, separately or combined.
- There were no differences in EAA bioavailability between black beans and almonds.
- There were no differences in EAA bioavailability between young and older adults.

There were limitations in the current study.

"Portion sizes of the protein foods in the study likely does not truly reflect the amounts consumed on a meal-to-meal or weekly basis by young or older adults," according to Dr. Connolly. Additionally, there were no direct measures of changes in muscle protein synthesis or whole-body protein balance in response to the meals containing the different protein foods, he explains.

Additional research is needed to better understand how animal versus

plant-based protein foods may influence muscle and whole-body health across the lifespan to promote healthy aging.

Public health nutrition implications:

The study authors suggest the findings from this research may have public health nutrition guidance implications and serve as an important resource for future DGAs to reevaluate the appropriateness of equating different protein sources in the protein foods group on an oz-eq basis across the lifespan.

"These results are also pertinent to the DGA's recommendation to consume more plant-based foods," adds Dr. Campbell.

While there are health benefits to consuming more plant-based foods, guidance on the importance of nutrient-dense animal-based [protein foods](#) which are high-quality [protein](#) sources is important information to incorporate when providing dietary recommendations, he explains.

The study is published in the journal *Nutrients*.

More information: Gavin Connolly et al, Effects of Consuming Ounce-Equivalent Portions of Animal- vs. Plant-Based Protein Foods, as Defined by the Dietary Guidelines for Americans on Essential Amino Acids Bioavailability in Young and Older Adults: Two Cross-Over Randomized Controlled Trials, *Nutrients* (2023). [DOI: 10.3390/nu15132870](https://doi.org/10.3390/nu15132870)

Provided by National Pork Board

Citation: Novel study shows greater metabolic response to animal versus plant proteins in young and older adults (2023, August 15) retrieved 2 May 2024 from

<https://medicalxpress.com/news/2023-08-greater-metabolic-response-animal-proteins.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.