

Home-monitoring during IVF found to work just as well as hospital checks

August 30 2023



Credit: CC0 Public Domain

Home monitoring of ovulation prior to placing frozen embryos during an IVF process works just as well as hospital checks to determine the best time. In addition, it is more pleasant for women to undergo this in their own environment, and it places less burden on the hospital facilities.

"Monitoring ovulation at home means a hospital visit once for the

placement of these embryos instead of three to four times for hospital [monitoring](#). This is more sustainable and reduces the cost of treatment by up to 80%," says Tijtske Zaat, researcher at Amsterdam UMC. The study was published in *The Lancet*.

To optimize fertility treatments, researchers from Amsterdam UMC and the Jeroen Bosch hospital set up the Antarctica-2 study, using money from ZonMW, consisting of 23 hospitals in the Netherlands. This study looked at whether there was a difference in pregnancy chances between monitoring at home and monitoring at the hospital.

A total of 1,464 [women](#) participated in this study. 732 women underwent [home monitoring](#) of ovulation and the other 732 women had ovulation monitored in hospital. At home, monitoring consists of the monitoring of urinal hormone levels.

During IVF, placing embryos in the natural cycle is preferable. It is then unnecessary to treat women with medication for a long time, which is beneficial as medication increases the risk of complications in pregnancy. However, if there is no regular cycle, an artificial cycle is created using the aforementioned medication. In both cases monitoring is necessary to track ovulation.

Analysis of the study data now shows that home monitoring is just as good as [hospital](#) monitoring, when placing frozen embryos in women, experiencing a natural [ovulation](#) cycle. There is the same result in terms of pregnancy results and babies born. The results of this study have implications for all IVF treatments worldwide. "The importance of sustainability is becoming increasingly clear as our climate changes. In addition, it is important to limit costs in health care where possible, home monitoring allows use to optimize our resources."

Monitoring at home has many benefits for the women involved. It is also

more sustainable and cost-effective: if women monitor at home there are fewer appointments and, also, fewer travel costs. Project leader Femke Mol says, "Women experience home monitoring as more private and they feel more empowered during this treatment. In addition, there are significant benefits when it comes to durability and cost when women can do most of this treatment from home. There are far fewer travel movements, so it's also better for the environment."

More information: Femke Mol et al, Home-based monitoring of ovulation to time frozen embryo transfers (Antartica-2): an open-label, nationwide, randomised, non-inferiority trial, *The Lancet* (2023).

Provided by Amsterdam University Medical Centers

Citation: Home-monitoring during IVF found to work just as well as hospital checks (2023, August 30) retrieved 29 April 2024 from <https://medicalxpress.com/news/2023-08-home-monitoring-ivf-hospital.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.