

## Moderna is safest, most effective mRNA vaccine against COVID-19 for older adults, study shows

August 2 2023



Credit: CC0 Public Domain

While mRNA vaccines against COVID-19 have been found to be safe and effective for the general population, in-depth evidence about safety and effectiveness for older adults and individuals with chronic health



conditions is more limited.

To address that gap, a team led by Brown University researchers conducted the largest head-to-head comparison study of the two mRNA vaccines approved by the U.S. Food and Drug Administration—the Moderna and Pfizer-BioNTech vaccines. The results, published in *JAMA Network Open*, showed that for older adults, the Moderna vaccine was associated with a slightly lower risk of adverse events than the Pfizer-BioNTech vaccine.

"The results of this study can help public health experts weigh which mRNA vaccine might be preferred for older adults and older subgroups, such as those with increased frailty," said lead study author Daniel Harris, an epidemiologist and research scientist in the Center for Gerontology and Healthcare Research at the Brown University School of Public Health.

The study looked at more than six million older adults, with the average age of 76 years, who were vaccinated against COVID-19 using one of the two mRNA vaccines, Moderna and Pfizer-BioNTech. The vaccines have subtle differences in manufacturing, administration and immune response.

The study confirmed that for older adults in both vaccine groups, the risk of serious adverse events was very low. The researchers also observed that for these older adults, the Moderna vaccine was associated with a 4% lower risk of pulmonary embolism, which is a sudden blockage in blood vessels of the lungs, and a 2% lower risk of thromboembolic events, defined as several conditions related to blood clotting.

The Moderna vaccine was also associated with a 15% lower risk of diagnosed COVID-19 compared to the Pfizer-BioNTech vaccine.



Harris emphasized that the risk of adverse events from a natural infection with SARS-CoV-2, the virus that causes COVID-19, is substantially higher than the risk of adverse events from either mRNA vaccine. But now that over 70% of the global population has received one type of COVID-19 vaccine and vaccine supply is less of a concern, he said there is a need for detailed information about vaccine effects and safety to guide decision-making.

"Immunization with either mRNA vaccine is substantially better and safer than not being vaccinated at all," Harris said. "But in an ideal world where we can have a choice between which vaccine product is used, we wanted to see whether one vaccine was associated with better performance for older adults and those with increased frailty."

Harris said there is also a need to understand vaccine performance in real-world populations. He noted that older adults, who often have chronic health conditions, tend to be excluded from clinical trials or represented in small numbers. This is especially important considering that older adults, especially those in nursing homes, had a higher risk of developing severe COVID-19. Older adults with frailty can also have differences in their immune responses to vaccines, Harris said, making it important to understand how these vaccines work for frail older adults compared to their non-frail counterparts.

This research was part of a project called the <u>IMPACT Collaboratory</u>, led by researchers at Brown University and Boston-based Hebrew SeniorLife, which is enabling massive monitoring of the long-term safety and effectiveness of COVID-19 vaccines for Medicare beneficiaries, in collaboration with CVS and Walgreens pharmacies.

"Because we had these real-world data and a cohort that included millions of older adults, we were able to tease apart potentially very small differences in vaccine safety and effectiveness and perform



analyses on important clinical subgroups," Harris said.

According to the research team, the improved safety of the Moderna vaccine for some adverse events, like pulmonary embolism, could have been due to its greater protection against COVID-19, especially for non-frail <u>older adults</u>.

"We think that these two things, safety and effectiveness, are interrelated," Harris said. "The slightly reduced risk of <u>pulmonary</u> <u>embolism</u> and other adverse events that we saw in individuals who received Moderna may be because the Moderna vaccine was also more effective at reducing COVID-19 risk."

However, the study was unable to definitively conclude whether the differences in adverse events were due to safety or effectiveness, and the researchers recommended additional research in this area. The study also only looked at the first dose of the mRNA vaccines, so another potential next step could involve similar comparisons for subsequent vaccinations.

"You can imagine regularly updating these types of analyses as new vaccines are developed," Harris said. "Depending on which one comes out on top, even on a very small scale, that may have big implications at the population level and render a preference for that particular vaccine."

**More information:** Daniel Harris et al, Comparative Risks of Potential Adverse Events Following COVID-19 mRNA Vaccination Among Older US Adults, *JAMA Network Open* (2023). <u>DOI:</u> <u>10.1001/jamanetworkopen.2023.26852</u>

Provided by Brown University



Citation: Moderna is safest, most effective mRNA vaccine against COVID-19 for older adults, study shows (2023, August 2) retrieved 20 May 2024 from https://medicalxpress.com/news/2023-08-moderna-safest-effective-mrna-vaccine.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.